



Condair Vita Power

SPARE PARTS / PIECES DE RECHANGE

Subject to change! / Modifications réservées!

Pos.	Article Article	Completion Complément	RO-DI-CO- UV-HP			RO-UV-HP			RO			UV-HP			Art. No. Art. No.	
			100	300	500	100	300	500	100	300	500	100	300	500		
Frame / Cadre																
101	Square plug GPN 260 30x30 (4 pcs) Embout carré GPN 260 30x30 (4 pcs)		2	2	2	2	2	2	2	2	2	2	2	2	2613990	
102	Levelling feet ø80-M8x68 (4 pcs) Pieds de nivellement ø80-M8x68 (4 pcs)		4	4	4	4	4	4	4	4	4	4	4	4	2614899	
RO-PM block assembly / Ensemble bloc RO-PM																
151	RO-PM block Bloc RO-PM		1	1	1	1	1	1	1	1	1				2613853	
152	O-ring 7.66 x 1.78 - EPDM O-Ring 7.66 x 1.78 - EPDM		2	2	2	2	2	2	2	2	2				2613862	
153	Orifice G1/4" for operation with softener Orifice G1/4" pour fonctionnement avec adoucisseur	ø0.6 mm	1			1			1						2614650	
		ø1.0 mm		1			1			1					2614651	
		ø1.3 mm			1			1			1				2614653	
		ø2.1 mm	1			1			1						2614655	
		ø3.0 mm		1			1			1					2614657	
		ø6.0 mm			1			1			1				2614658	
154	Orifice G1/4" for operation without softener Orifice G1/4" pour fonctionnement sans adoucisseur	ø1.1 mm	1			1			1						2614652	
		ø2.0 mm		1			1			1					2614654	
		ø2.1 mm	1			1			1						2614655	
		ø2.8 mm			1			1			1				2614656	
		ø3.0 mm		1			1			1					2614657	
		ø6.0 mm			1			1			1				2614658	
DEION block assembly / Ensemble bloc DEION																
201	Conductivity sensor 0.01 Capteur de conductivité 0.01		1	1	1										2613991	
202	DI block conductivity measurement Bloc DI mesure de la conductivité		1	1	1										2613851	
203	Conductivity sensor 0.1 Capteur de conductivité 0.1		1	1	1										2613992	
UV-HP block assembly / Ensemble bloc UV-HP																
251	Blanking Plug G3/8" Bouchon obturateur G3/8"		2	2	2	2	2	2					2	2	2	2613993
252	UV-HP block Bloc UV-HP		1	1	1	1	1	1					1	1	1	2613828

Pos.	Article Article	Completion Complément	RO-DI-CO- UV-HP			RO-UV-HP			RO			UV-HP			Art. No. Art. No.
			100	300	500	100	300	500	100	300	500	100	300	500	
Pressure block assembly Vita / Ensemble bloc de pression Vita															
301	Hex-reducer G1/4" x G3/8" Réducteur hexagonal G1/4" x G3/8"		1	1	1	1	1	1				1	1	1	2613888
302	2/2-way solenoid valve Électrovanne 2/2 voies		1	1	1	1	1	1				1	1	1	2613994
303	Filter mesh adaptor G1/4" Adaptateur de maille de filtre G1/4"		1	1	1	1	1	1				1	1	1	2613995
304	Screw-in filter G1/4" 80 µm Screw-in filter G1/4" 80 µm		1	1	1	1	1	1				1	1	1	2613996
305	Non-return valve 200 bar G1/4" Soupape de retenue 200 bar G1/4"		1	1	1	1	1	1				1	1	1	2613997
306	HP block Bloc HP		1	1	1	1	1	1				1	1	1	2613841
307	Pressure sensor type A-10 160 bar Capteur de pression type A-10 160 bar		1	1	1	1	1	1				1	1	1	2613998
308	Pressure control Contrôle de pression		1	1	1	1	1	1				1	1	1	2613999
—	Service kit pressure control Kit de maintenance contrôle de pression		1	1	1	1	1	1				1	1	1	2615160
Pressure measurement block assembly / Ensemble bloc de mesure de pression															
321	Pressure measurement block Bloc de mesure de pression		1	1	1	1	1	1	1	1	1				2613847
RO pump assembly / Ensemble de pompe RO															
351	RO Pump Pompe CR1S-7 3x200/346 60Hz Pompe RO CR1S-7 3x200/346 60Hz		1			1			1						2614001
352	RO Pump CR1-9 3x200/346 60Hz Pompe RO CR1-9 3x200/346 60Hz			1			1			1					2614003
353	RO Pump CR3-10 3x200/346 60Hz Pompe RO CR3-10 3x200/346 60Hz				1			1			1				2614008
354	Oval flange gasket Joint de bride ovale		2	2	2	2	2	2	2	2	2				2617411
UV lamp assembly / Ensemble lampe UV															
401	AC/DC Converter Convertisseur CA/CC		1	1	1	1	1	1				1	1	1	2613842
402	UV-ballast Ballast UV		1	1	1	1	1	1				1	1	1	2613848
403	Female adaptor D12-1/2" (2 pcs) Adaptateur femelle D12-1/2" (2 pcs)		2			2						2			2613863
405	UV system Système UV	240 l/h VT1 24V (UL)	1			1						1			2614097
		800 l/h VT4 24V (UL)		1	1		1	1					1	1	2614098
406	UV lamp Lampe UV	S212 RL 12W	1			1						1			2613849
		S330 RL 19W		1	1		1	1					1	1	2613838
407	Quartz glas sleeve Manchon en verre de quartz	QS-212	1			1						1			2614266
		QS-330		1	1		1	1					1	1	2614267
VFC drive assembly / Ensemble de convertisseur de fréquence															
451	Frequency converter 200-240 V AC Convertisseur de fréquence 200-240 V AC	100 l/h	1			1						1			2614099
		300&500 l/h		1	1		1	1					1	1	2614734
452	Line choke DX-LN3-006 Étranglement de ligne DX-LN3-006		1	1	1	1	1	1				1	1	1	2614100
453	Terminal for grounding Borne de mise à la terre		1	1	1	1	1	1				1	1	1	2614101
454	Radio interference suppression filter Filtre antiparasitage radio		1	1	1	1	1	1				1	1	1	2614102
—	Cooling fan frequency converter Ventilateur de refroidissement du convertisseur de fréquence		1	1	1	1	1	1				1	1	1	2614676

Pos.	Article Article	Completion Complément	RO-DI-CO- UV-HP			RO-UV-HP			RO			UV-HP			Art. No. Art. No.
			100	300	500	100	300	500	100	300	500	100	300	500	
Pressure tank assembly / Ensemble Ensemble de réservoir de pression															
501	Connector G3/4"-G1" Connecteur G3/4"-G1"			1	1		1	1		1	1				2617595
502	Connector G1"-G1" Connecteur G1"-G1"			1	1		1	1		1	1				2617596
503	Reducer R1/2"-G1" Réducteur R1/2"-G1"			1	1		1	1		1	1				2614696
504	Safety-Valve Type 10.1, G1/2" Vanne de sécurité Type 10.1, G1/2"		1	1	1	1	1	1	1	1	1				2614009
504	Internal pure water tank 25 l Réservoir d'eau pure interne 25 l	ADF 25.10	1			1			1						2606617
505	Internal pure water tank 80 l Réservoir d'eau pure interne 80 l	ADF 80.10		1	1		1	1		1	1				2614010
507	Membrane grommet D25 Douille de membrane D25		1	1	1	1	1	1	1	1	1				2613873
508	Tap connector CM32 D12 x 3/4" (2 pcs) Connecteur de robinet CM32 D12 x 3/4" (2 pcs)		1			1			1						2615062
High-pressure pump / Pompe haute pression															
531	High-pressure pump with motor Pompe haute pression avec moteur	PAHT 6.3 / 1.5 kW			1			1						1	2614016
		PAHT 4 / 1.5 kW		1			1						1		2614017
		PAHT 2 / 0.75 kW	1			1						1			2614018
532	Motor High-pressure pump Moteur pompe haute pression	1.5 kW		1	1		1	1					1	1	2614084
		0.75 kW	1			1						1			2614013
533	High-pressure pump Pompe haute pression	PAHT 6.3			1			1						1	2614011
		PAHT 4		1			1						1		2614012
		PAHT 2	1			1						1			2614015
534	Maintenance kit coupling Kit de maintenance d'accouplement	PAHT 6.3 + PAHT 4		1	1		1	1					1	1	2614086
		PAHT 2	1			1						1			2614014
535	Aluminum flange Flasque en aluminium		1	1	1	1	1	1				1	1	1	2614087
536	Rubber buffer ø30 / 15 / M8 Tampon en caoutchouc ø30 / 15 / M8		4	4	4	4	4	4				4	4	4	2606504
537	Clutch Housing 100-500 Boite d'accouplement 100-500		1	1	1	1	1	1				1	1	1	2614898
—	Maintenance Kit HP pump Kit de maintenance pompe HP	PAHT 6.3 + PAHT 4		1	1		1	1					1	1	2615157
		PAHT 2	1			1						1			2615158
Gas mixing unit / Unité de mélange de gaz															
551	Gas mixing unit Unité de mélange de gaz	100 l/h	1												2613877
		300 & 500 l/h		1	1										2613878
552	Straight adaptor BSP ø6- 1/4" (5 pcs) Adaptateur droit BSP ø6- 1/4" (5 pcs)		1	1	1										1118682
553	Stem elbow (5 pcs) Coude enfichable (5 pcs)		1	1	1										1116174
RO membrane / Membrane RO															
601	Membrane CAir AX4 medium Membrane CAir AX4 moyenne	21"	1			1			1						2606404
602	Membrane CAir AX4 large Membrane CAir AX4 grande	40"		2	2		2	2		2	2				2612430
603	Pressure cylinder membrane Cylindre de pression de la membrane	21"	1			1			1						2606528
604	Pressure cylinder membrane Cylindre de pression de la membrane	40"		2	2		2	2		2	2				2614162
605	O-ring set pressure cylinder (8 pcs) Kit de joints toriques pour cylindre de pression (8 pcs)		4	8	8	2	8	8	2	8	8				50058



Pos.	Article Article	Completion Complément	RO-DI-CO- UV-HP			RO-UV-HP			RO			UV-HP			Art. No. Art. No.
			100	300	500	100	300	500	100	300	500	100	300	500	
606	Pipe clamp cpl. (2 pcs) Collier de serrage cpl. (2 pcs)		2	4	4	2	4	4	2	4	4				2614088
607	Hex reducing nipple G3/4" – G1/2" (2 pcs) Raccord réducteur hexagonal G3/4" – G1/2" (2 pcs)		2	4	4	2	4	4	2	4	4				2614108
CO ₂ Dosing block / Bloc de dosage CO ₂															
651	CO ₂ dosing block Bloc de dosage CO ₂	ø0.1	1												2614019
		ø0.2		1	1										2614020
Water supply assembly / Ensemble d'alimentation en eau															
701	Pressure gauge NG 63 Manomètre NG 63		1	1	1	1	1	1	1	1	1	1	1	1	116201
702	Hex-reducer R1/2" – Rp1/4" Réducteur hexagonal R1/2" – Rp1/4"		1	1	1	1	1	1	1	1	1	1	1	1	2614022
703	Transition nipple NPT 3/4" Raccord de transition NPT 3/4"		1	1	1	1	1	1	1	1	1	1	1	1	2613869
704	Holder water supply assembly Ensemble support d'alimentation en eau		1	1	1	1	1	1	1	1	1	1	1	1	2614661
UV-HP Control box / Boîtier de commande UV-HP															
711	Vita Power UV-HP Control Box Vita Power boîtier de commande UV-HP		1	1	1	1	1	1				1	1	1	2614064
RO control box / Boîtier de commande RO															
731	Vita Power RO Control Box Vita Power boîtier de commande RO		1	1	1	1	1	1	1	1	1				2614062
732	Contacteur 24V DC Contacteur 24V DC		1	1	1	1	1	1				1	1	1	2614063
System Master/External control unit / System Master/Unité de commande externe															
751	System Master box assembly Ensemble boîtier System Master		1	1	1	1	1	1	1	1	1	1	1	1	2614065
752	System Master electrical assembly Ensemble système électrique System Master		1	1	1	1	1	1	1	1	1	1	1	1	2614066
753	RFI Board Platine RFI		1	1	1	1	1	1	1	1	1	1	1	1	2614067
754	System Master PCB Platine de commande System Master		1	1	1	1	1	1	1	1	1	1	1	1	2614068
755	Vita softener PCB Platine de commande adoucisseur Vita		1	1	1	1	1	1	1	1	1				2614069
756	Holder external control unit Support unité de commande externe		1	1	1	1	1	1	1	1	1	1	1	1	2614070
757	Externe Steuereinheit External control unit Unité de commande externe		1	1	1	1	1	1	1	1	1	1	1	1	2614071
758	Linchpin 6x40 Pivot 6x40		1	1	1	1	1	1	1	1	1	1	1	1	2614889
759	Integrated Controller 2 Integrated Controller 2		1	1	1	1	1	1	1	1	1	1	1	1	2614702
760	AC/DC Converter Convertisseur CA/CC		1	1	1	1	1	1	1	1	1	1	1	1	2614699
761	3-phase AC filters / DC filters Filtres triphasés AC/DC		1	1	1	1	1	1	1	1	1	1	1	1	2614700
762	PE terminal WPE 2.5 (5 pcs) Borne conducteur de protection WPE 2.5 (5 pcs)		8	8	8	8	8	8	8	8	8	8	8	8	2614703
763	Feed-through terminal 2.5 BL (5 pcs) Borne de traversée 2.5 BL (5 pcs)		5	5	5	5	5	5	5	5	5	5	5	5	2614704
764	Feed-through terminal 2.5 beige (5 pcs) Borne de traversée 2.5 beige (5 pcs)		39	39	39	39	39	39	39	39	39	39	39	39	2614705
765	PE sealing tape 3x9 Ruban d'étanchéité PE 3x9		1	1	1	1	1	1	1	1	1	1	1	1	2614888

Pos.	Article Article	Completion Complément	RO-DI-CO- UV-HP			RO-UV-HP			RO			UV-HP			Art. No. Art. No.
			100	300	500	100	300	500	100	300	500	100	300	500	
766	Cross-connector (5 pcs) Connecteur croisé (5 pcs)		7	7	7	7	7	7	7	7	7	7	7	7	2615136
767	Fuse 4A slow 5x20mm (5 pcs) Fusible 4A à action lente 5x20mm (5 pcs)		1	1	1	1	1	1	1	1	1	1	1	1	2615137
Multiple use / Usage multiple															
Piping / Tuyauterie															
801	Stem elbow ø12 (5 pcs) Coude enfichable ø12 (5 pcs)		21	4	4	18	4	4	12	2	2	9	4	4	1118793
802	Stem elbow ø15 (5 pcs) Coude enfichable ø15 (5 pcs)			18	18		15	15		11	11		5	5	2614024
803	Equal elbow ø12 (5 pcs) Coude ø12 (5 pcs)		51	7	7	41	7	7	16	1	1	7	1	1	1118795
804	Equal elbow ø15 (5 pcs) Coude ø15 (5 pcs)			50	50		50	50		50	50		50	50	2613858
805	Two way divider ø12 (2 pcs) Séparateur à deux voies ø12 (2 pcs)		2			2			2						2614025
806	Two way divider ø15 (2 pcs) Séparateur à deux voies ø15 (2 pcs)			3	3		3	3		3	3				2614026
807	Equal tee connector ø12 (5 pcs) Connecteur en T ø12 (5 pcs)		2	1	1	5	1	1	5	1	1	5	1	1	1118792
808	Equal tee connector ø15 (5 pcs) Connecteur en T ø15 (5 pcs)			3	3		5	5		5	5		5	5	2614027
809	Check valve ø12 Soupape de retenue ø12		2			2			2						2579716
810	Check valve ø15 Check valve ø15			3	3		3	3		3	3				2613867
811	Reducer ø15-ø12 (5 pcs) Réducteur ø15-ø12 (5 pcs)			1	1		5	5		5	5		5	5	2614028
812	Tube ø12 - PA12 (3 m) Tube ø12 - PA12 (3 m)		x	x	x	x	x	x	x	x	x	x	x	x	2579700
813	Tube ø15 - PA12 (3 m) Tube ø15 - PA12 (3 m)			x	x		x	x		x	x		x	x	2613859
Other parts / Autre pièces															
851	Transition nipple G1/2" (5 pcs) Raccord de transition G1/2" (5 pcs)		7	7	7	6	6	6	5	5	5	3	3	3	2614030
852	GF-Union nut ø20mm (2 pcs) Écrou-raccord GF ø20mm (2 pcs)		9	9	9	8	8	8	7	7	7	5	5	5	2526197
853	2/2-Way membrane manual valve Vanne manuelle à membrane 2/2 voies		2	2	2	1	1	1	1	1	1	1	1	1	2614664
854	Straight adaptor BSP ø15-1/2" (5 pcs) Adaptateur droit BSP ø15-1/2" (5 pcs)			15	15		15	15		15	15		15	15	2613865
855	Cartridge valve 2/2-way NC Vanne à cartouche 2/2 voies NF		3	3	3	3	3	3	3	3	3				2614031
856	Pressure sensor 0-25 bar Capteur de pression 0-25 bar		4	4	4	4	4	4	3	3	3	1	1	1	2614032
857	Sealing plug male G1/2" (3 pcs) Bouchon d'étanchéité mâle G1/2" (3 pcs)		1	2	2	1	2	2	1	2	2				2614041
858	Blanking plug G1/4" - A2 (2 pcs) Bouchon obturateur G1/4" - A2 (2 pcs)		1	1	1	1	1	1	1	1	1				2614042
859	Straight adapter BSP ø12-3/8" Adaptateur droit BSP ø12-3/8"		5	2	2	5	2	2	5	2	2	5	2	2	2580111
860	Straight adapter BSP ø15-3/8" (5 pcs) Adaptateur droit BSP ø15-3/8" (5 pcs)			5	5		5	5		5	5		5	5	2613864
861	Double nipple G1/2" Raccord double G1/2"		1	1	1	1	1	1	1	1	1	1	1	1	2614043
862	Straight adapter BSP ø12-1/2" Adaptateur droit BSP ø12-1/2"		15												2580112



Pos.	Article Article	Completion Complément	RO-DI-CO- UV-HP			RO-UV-HP			RO			UV-HP			Art. No. Art. No.
			100	300	500	100	300	500	100	300	500	100	300	500	
863	Straight male adapter 12-G3/8" (2 pcs) Adaptateur mâle droit 12-G3/8" (2 pcs)		2	2	2	2	2	2				2	2	2	2615121
864	Straight screw-in fitting 10L / G1/4" (3 pcs) Raccord à visser droit 10L / G1/4" (3 pcs)		3	4	4	3	4	4				3	4	4	2614072
865	Taper screw-in fitting G1/4" Raccord conique à visser G1/4"		2	2	2	2	2	2				2	2	2	2614073
866	Cable gland short M20x1.5 (2 pcs) Presse-étoupe court M20x1.5 (2 pcs)		5	5	5	5	5	5	5	5	5	5	5	5	2613872
867	Reducer G1-G1/2" (2 pcs) Réducteur G1-G1/2" (2 pcs)		4	4	4	4	4	4	4	4	4	4	4	4	2614075
868	Female adaptor D15-1/2" (2 pcs) Adaptateur femelle D15-1/2" (2 pcs)			3	3		3	3		3	3		2	2	2613832
869	Flat gasket 3/4" AFM34 (2 pcs) Joint plat 3/4" AFM34 (2 pcs)		2	2	2	2	2	2	2	2	2	2	2	2	2614076
870	Flat gasket G1" AFM34 (2 pcs) Joint plat G1" AFM34 (2 pcs)		1	3	3	1	3	3	1	3	3	1	3	3	2614077
871	T-fitting G1/2" Raccord en T G1/2"		3	3	3	3	3	3	3	3	3	3	3	3	2614078
872	Sealing AL/NBR OL 1/2" (5 pcs) Joint AL/NBR OL 1/2" (5 pcs)		6	7	7	6	7	7	6	7	7	6	7	7	2614079
873	Sampling tap 221 A/ABF-DVGW Robinet d'échantillonnage 221 A/ABF-DVGW		2	2	2	2	2	2	2	2	2	2	2	2	2611733
874	Screw-in temperature sensor Capteur de température à visser		1	1	1	1	1	1				1	1	1	2614081
875	Sealing Ring OL-M6 - AL/NBR Bague d'étanchéité OL-M6 - AL/NBR		1	1	1	1	1	1				1	1	1	2614891
876	O-ring i-ø85,32 x ø3,53 - FKM 75.5 Joint torique i-ø85,32 x ø3,53 - FKM 75.5		3	3	3	2	2	2	1	1	1	1	1	1	2614671
Filters / Filtres															
901	Filter housing SlimLine 10" Boîtier de filtre SlimLine 10"		3	3	2	2	2	1	1	1		1	1	1	2614669
902	Filter housing SlimLine 20" Boîtier de filtre SlimLine 20"				1			1			1				2614670
903	Filter cartridge 5 µm 10" Cartouche filtrante 5 µm 10"		3	3	2	2	2	1	1	1		1	1	1	2614668
904	Filter cartridge 5 µm 20" Cartouche filtrante 5 µm 20"				1			1			1				2607470
905	Adapter G1/2" - R1/2" Adaptateur G1/2" - R1/2"		2	2	2	1	1	1							2614089
906	Flat seal 29x22x2 - EPDM 70 (4 pcs) Joint plat 29x22x2 - EPDM 70 (4 pcs)		6	6	6	4	4	4	2	2	2	2	2	2	2614090
907	Adapter R 1/2" - JG12 Adaptateur R 1/2" - JG12		5	5	5	3	3	3	2	2	2	2	2	2	2617402
908	Adapter R 1/2" - JG15 Adaptateur R 1/2" - JG15		5	5	5	3	3	3	2	2	2	2	2	2	2617403
909	Insert G1/2" to G1" Insert G1/2" to G1"		1	1	1										2613868

Pos.	Article Article	Completion Complément	RO-DI-CO- UV-HP			RO-UV-HP			RO			UV-HP			Art. No. Art. No.
			100	300	500	100	300	500	100	300	500	100	300	500	
Electrical components / Composants électriques															
951	Vita driver board Platine de pilotage Vita		2	2	2	2	2	2	1	1	1	1	1	1	2614091
952	Conductivity transmitter CT3 Transmetteur de conductivité CT3		1	1	1										2614092
953	Conductivity transmitter CT4 Transmetteur de conductivité CT4		1	1	1										2615804
954	Cable gland short M20x 1.5 Presse-étoupe court M20x 1.5		8	8	8	8	8	8	8	8	8	8	8	8	2617611
—	ABT PCB Platine de commande PCB		1	1	1	1	1	1	1	1	1	1	1	1	2614892
Hoses / Tuyaux															
—	HP Hose DN8 320 mm 90 Grad Tuyau HP DN8 320 mm 90 degrés											1	1	1	2617606
—	HP Hose DN8 630 mm 90 Grad Tuyau HP DN8 630 mm 90 degrés					1									2617604
—	HP Hose DN8 850 mm 90 Grad Tuyau HP DN8 850 mm 90 degrés		1												2617602
—	HP Hose DN8 980 mm 90 Grad Tuyau HP DN8 980 mm 90 degrés			1	1										2617603
—	HP Hose DN8 1140 mm 90 Grad Tuyau HP DN8 1140 mm 90 degrés						1	1							2617605
Cable / Câble															
—	IC2 Cable Câble IC2		1	1	1	1	1	1	1	1	1	1	1	1	2614399



Condair Vita RO-DI-CO-UV-HP





Condair Vita RO-UV-HP




Condair Vita UV-HP




Condair Vita RO




E1
(Frame parts / Pièces de cadre)



E2 (RO-PM block/ Bloc RO-PM)





100 l/h





300 l/h / 500 l/h


E3
(DEION block / Bloc DEION)





E4
(UV block / Bloc UV)




E5
(High-pressure block / Bloc haute pression)



E6
(Pressure measurement / Mesure de la pression)




E7 (RO pump / Pompe OI)




E8


(UV lamp control and UV lamp / Contrôle de la lampe UV et Lampe UV)




RO-DI-CO-UV-HP
RO-UV-HP



UV-HP




100 l/h





300 l/h / 500 l/h

E9
(VFC drive / Entrainement VFC)



E10
(Pressure tank / Réservoir de pression)




E11




E12



E13
(RO membranes / Membranes OI)




100 l/h




300 l/h / 500 l/h

E14
(CO₂ dosing bloc / Bloc de dosage CO₂)




E15
(Water supply / Admission en eau)




E16

(UV-HP control box / boîtier de commande UV-HP)




E17

(RO control box / boîtier de commande RO)




E18

(System Master and external control unit / System Master et unité de commande externe)




E19


(DI filter and manual valve / Filtre DI et vanne manuelle)




E21
(RO-HP filter / Filtre OI-HP)



E22
(HP Filter / HP Filter / Filtre HP)



E23
(RO Filter / Filtre OI)



Warranty

Condaire Inc. or Condaire Ltd. (depending on the entity that supplied the product, and hereinafter collectively referred to as CONDAIRE) warrant for a period of two years after installation or 30 months from the manufacturer's ship date, whichever date is earlier, that CONDAIRE's manufactured and assembled products, not otherwise expressly warranted, are free from defects in materials and workmanship. Notwithstanding the foregoing, the products listed below have an alternate warranty period:

- GS/GSTC Series heat exchanger(s) are warranted to be free from defects in materials and workmanship for a period of 3 years from installation or 40 months from the manufacturer's ship date, whichever is earlier.
- SAM-e Short Absorption Manifolds, except for the coupling seals, are warranted to be free from defects in materials and workmanship for a total period of 10 years from the manufacturer's ship date.
- Condaire RH Connect and Condaire RH Classic humidifiers are warranted to be free from defects in materials and workmanship for a period of 5 years from the manufacturer's ship date.
- Spare Parts used for repairs are warranted for the balance of the term of the warranty on the original humidifier or 90 days, whichever is longer.
- No warranty is made against corrosion, deterioration, or suitability of substituted materials used as a result of compliance with government regulations.

CONDAIRE's obligations and liabilities under this warranty are limited to furnishing replacement parts to the customer, F.O.B. CONDAIRE's factory. The replacement parts are warranted for the balance of the term of the warranty on the original humidifier or 90 days, whichever is longer. Procedure:

1. Customer Requests Warranty as per instructions on the CONDAIRE Warranty Form.
2. CONDAIRE reviews the warranty claim and will respond in one of two ways:
 - a. Warranty Accepted – Replacement Part or credit granted.
 - b. Warranty Declined – Response with justification will be provided to the customer.
3. In some cases, CONDAIRE may request the part to be returned, freight prepaid by the customer, as part of the warranty acceptance or warranty determination process. Some reasons include:
 - a. Part must be analyzed to determine the root cause of failure.
 - b. Part must be returned to the supplier for claim/investigation.

When parts are requested to be returned, replacement parts will be sent by CONDAIRE to the customer against an invoice from CONDAIRE paid by the customer. The cost of the replacement parts will be reimbursed to the customer with a credit note after the parts are received and analyzed by CONDAIRE, if the warranty is accepted.

The warranties set forth herein are in lieu of all other warranties expressed or implied by law. No liability whatsoever shall be attached to CONDAIRE until said products have been paid for in full and then said liability shall be limited to the original purchase price for the product. Any further warranty, with the exception of a purchased extended warranty described below, must be in writing, and signed by an officer of CONDAIRE.

CONDAIRE makes no warranty and assumes no liability unless the equipment is installed in strict accordance with the installation manual in effect at the date of purchase, and by properly qualified and licensed professionals capable of installing such equipment.

CONDAIRE makes no warranty and assumes no liability whatsoever for consequential damage or damage resulting directly from misapplication, incorrect sizing, or lack of proper maintenance of the equipment.

CONDAIRE makes no warranty and assumes no liability whatsoever for damage to the products, humidifier, supply lines, drain lines, steam distribution systems, or the building as a whole caused by freezing.

CONDAIRE reserves the right to change the design, specifications, and performance criteria of its products without notice or obligation.

Extended Warranty

Extended warranties are available to purchase under the conditions listed above. Extended warranties must be purchased at the time of the original equipment order.



www.condairparts.com

Buy authentic Condair
parts factory direct.

Would you recommend Condair?
Take our two question survey.



U.S.A.

1021 6th Street
Racine, WI 53403

CANADA

2740 Fenton Road
Ottawa, Ontario K1T 3T7

TEL: 1.866.667.8321

EMAIL: na.info@condair.com

WEBSITE: www.condair.com

