

Nortec RS series

SPARE PARTS

Subject to change!

Pos.	Article	Completion	Voltage								Art.-/SAP-No.	
			208V / 1~	240V / 1~	480V / 1~	600V / 1~	208V / 3~	240V / 3~	480V / 3~	600V / 3~		
101	SP Steam Outlet Hose, RS	10...180 lbs/hr	1	1	1	1	1	1	1	1	1	2584885
102	SP Plumbing Element Plug 10 pol, RS	10...20 lbs/hr	1	1	1	1	1	1	1	1	1	2584849
	SP Plumbing Element Plug 16 pol, RS	30 lbs/hr	1	1	1	1	1	1	1	1	1	2584850
	SP Plumbing Element Plug 16 pol, RS	45 lbs/hr					1	1				2584850
	SP Plumbing Element Plug 24 pol, RS	45 lbs/hr							1			2584851
	SP Plumbing Element Plug 24 pol, RS	65 lbs/hr					1	1		1		2584851
	SP Plumbing Element Plug 16 pol, RS	65 lbs/hr								1		2584850
	SP Plumbing Element Plug 24 pol, RS	90 lbs/hr								1	1	2584851
	SP Plumbing Element Plug 24 pol, RS	90 lbs/hr					2	2				2584851
	SP Plumbing Element Plug 24 pol, RS	130 lbs/hr					2	2			2	2584851
	SP Plumbing Element Plug 16 pol, RS	130 lbs/hr								2		2584850
	SP Plumbing Element Plug 24 pol, RS	180 lbs/hr								2	2	2584851
103	SP Thermostat, RS	10...180 lbs/hr	1	1	1	1	1	1	1	1	1	2584888
104	SP Heating Element 2040W, RS	10 lbs/hr								3		2584864
	SP Heating Element 1290W, RS	10 lbs/hr									3	2584865
	SP Heating Element 2630W, RS	10 lbs/hr		3				3				2584871
	SP Heating Element 2240W, RS	10 lbs/hr	3		2	2	3					2584872
	SP Heating Element 2040W, RS	15 lbs/hr									3	2584864
	SP Heating Element 2630W, RS	15 lbs/hr								3		2584871
	SP Heating Element 2240W, RS	15 lbs/hr		3				3				2584872
	SP Heating Element 2600W, RS	15 lbs/hr	3		2	3	3					2584873
	SP Heating Element 2630W, RS	20 lbs/hr									3	2584871
	SP Heating Element 2240W, RS	20 lbs/hr								3		2584872
	SP Heating Element 2600W, RS	20 lbs/hr		3				3				2584873
	SP Heating Element 3470W, RS	20 lbs/hr	3		2	3	3					2584874
	SP Heating Element 2000W, RS	30 lbs/hr					6					2584866
	SP Heating Element 3630W, RS	30 lbs/hr				4					3	2584868
	SP Heating Element 3650W, RS	30 lbs/hr			4					3		2584869
	SP Heating Element 3300W, RS	30 lbs/hr	4	3				3				2584875
	SP Heating Element 2500W, RS	45 lbs/hr						6				2584867
	SP Heating Element 2720W, RS	45 lbs/hr							9	6		2584870
	SP Heating Element 3300W, RS	45 lbs/hr					6					2584870
	SP Heating Element 2500W, RS	65 lbs/hr						9				2584867
	SP Heating Element 2720W, RS	65 lbs/hr								9		2584870
	SP Heating Element 3650W, RS	65 lbs/hr							6			2584869
	SP Heating Element 3300W, RS	65 lbs/hr					9					2584875

Pos.	Article	Completion	Voltage								Art./SAP-No.	
			208V / 1 ~	240V / 1 ~	480V / 1 ~	600V / 1 ~	208V / 3 ~	240V / 3 ~	480V / 3 ~	600V / 3 ~		
104	SP Heating Element 3630W, RS	90 lbs/hr									9	2584868
	SP Heating Element 3650W, RS	90 lbs/hr									9	2584869
	SP Heating Element 2500W, RS	90 lbs/hr, Large								12		2584867
	SP Heating Element 3300W, RS	90 lbs/hr, Large								12		2584875
	SP Heating Element 2500W, RS	130 lbs/hr, Large								18		2584867
	SP Heating Element 3300W, RS	130 lbs/hr, Large								18		2584875
	SP Heating Element 2720W, RS	130 lbs/hr, Large									18	2584870
	SP Heating Element 3650W, RS	130 lbs/hr, Large								12		2584869
	SP Heating Element 3630W, RS	180 lbs/hr, Large									18	2584868
	SP Heating Element 3650W, RS	180 lbs/hr, Large									18	2584869
105	SP Heating element gasket kit 3pcs.	10...180 lbs/hr	1	1	1	1	1	1	1	1	1	2584848
106	Tanks without scale management											
	SP Small Tank 35.0 Ω/3 element,A,RS	10 lbs/hr	1					1				2584905
	SP Small Tank 46.5 Ω/3 element,H,RS	10 lbs/hr		1					1			2584912
	SP Small Tank 35.0Ω/2 element,L,RS	10 lbs/hr			1							2584916
	SP Small Tank 60.0Ω/3 element,P,RS	10 lbs/hr								1		2584920
	SP Small Tank 45.6Ω/2 element,U,RS	10 lbs/hr					1					2584925
	SP Small Tank 95.0Ω/3 element,W,RS	10 lbs/hr									1	2584931
	SP Small Tank 35.0 Ω/3 element,A,RS	15 lbs/hr			1				1			2584905
	SP Small Tank 24.0 Ω/3 element,B,RS	15 lbs/hr	1				1	1				2584906
	SP Small Tank 46.5 Ω/3 element,H,RS	15 lbs/hr								1		2584912
	SP Small Tank 24.0Ω/2 element,M,RS	15 lbs/hr				1						2584917
	SP Small Tank 60.0Ω/3 element,P,RS	15 lbs/hr									1	2584920
	SP Small Tank 35.0 Ω/3 element,A,RS	20 lbs/hr									1	2584905
	SP Small Tank 24.0 Ω/3 element,B,RS	20 lbs/hr			1				1			2584906
	SP Small Tank 18.0 Ω/3 element,C,RS	20 lbs/hr	1				1	1				2584907
	SP Small Tank 46.5 Ω/3 element,H,RS	20 lbs/hr									1	2584912
	SP Small Tank 18.0Ω/2 element,N,RS	20 lbs/hr				1						2584918
	SP Large Tank 16.0 Ω/4 element,D,RS	30 lbs/hr	1									2584908
	SP Large Tank 26.5 Ω/6 element,E,RS	30 lbs/hr						1				2584909
	SP Small Tank 16.0 Ω/3 element,I,RS	30 lbs/hr			1				1			2584913
	SP Large Tank 21.5Ω/4 element,O,RS	30 lbs/hr				1						2584919
	SP Large Tank 21.5Ω/3 element,Q,RS	30 lbs/hr								1		2584921
	SP Large Tank 33.7Ω/4 element,V,RS	30 lbs/hr					1					2584926
	SP Large Tank 33.7Ω/3 element,X,RS	30 lbs/hr									1	2584932
	SP Large Tank 16.0 Ω/6 element,F,RS	45 lbs/hr						1				2584910
	SP Small Tank 21.2 Ω/6 element,J,RS	45 lbs/hr							1			2584914
	SP Large Tank 45.0Ω/9 element,R,RS	45 lbs/hr								1		2584922
	SP Large Tank 45.0Ω/6 element,Y,RS	45 lbs/hr									1	2584933
	SP Large Tank 16.0 Ω/9 element,G,RS	65 lbs/hr						1				2584911
	SP Small Tank 21.2 Ω/9 element,K,RS	65 lbs/hr							1			2584915
	SP Large Tank 45.0Ω/9 element,R,RS	65 lbs/hr									1	2584922
	SP Large Tank 21.5Ω/6 element,S,RS	65 lbs/hr								1		2584923
	SP Large Tank 21.5Ω/9 element,T,RS	90 lbs/hr									1	2584924
	SP Large Tank 33.7Ω/9 element,Z,RS	90 lbs/hr									1	2584934
	SP Large Tank 16.0 Ω/6 element,F,RS	90 lbs/hr						2				2584910
	SP Small Tank 21.2 Ω/6 element,J,RS	90 lbs/hr							2			2584914


Pos.	Article	Completion	Voltage								Art.-/SAP-No.	
			208V / 1 ~	240V / 1 ~	480V / 1 ~	600V / 1 ~	208V / 3 ~	240V / 3 ~	480V / 3 ~	600V / 3 ~		
106	SP Large Tank 16.0 Ω/9 element,G,RS	130 lbs/hr					2					2584911
	SP Small Tank 21.2 Ω/9 element,K,RS	130 lbs/hr						2				2584915
	SP Large Tank 45.0Ω/9 element,R,RS	130 lbs/hr								2		2584922
	SP Large Tank 21.5Ω/6 element,S,RS	130 lbs/hr								2		2584923
	SP Large Tank 21.5Ω/9 element,T,RS	180 lbs/hr								2		2584924
	SP Large Tank 33.7Ω/9 element,Z,RS	180 lbs/hr									2	2584934
106	Tanks with scale management											
	SP Small Tank 35.0Ω/3 element,A-SC,RS	10 lbs/hr	1				1					2584935
	SP Small Tank 46.5Ω/3 element,H-SC,RS	10 lbs/hr		1				1				2584942
	SP Small Tank 35.0Ω/2 element,L-SC,RS	10 lbs/hr			1							2584946
	SP Small Tank 60.0Ω/3 element,P-SC,RS	10 lbs/hr								1		2584950
	SP Small Tank 46.5Ω/2 element,U-SC, RS	10 lbs/hr					1					2584955
	SP Small Tank 95.0Ω/3 element, W-SC, RS	10 lbs/hr									1	2584957
	SP Small Tank 35.0Ω/3 element,A-SC,RS	15 lbs/hr		1				1				2584935
	SP Small Tank 24.0Ω/3 element,B-SC,RS	15 lbs/hr	1			1	1					2584936
	SP Small Tank 46.5Ω/3 element,H-SC,RS	15 lbs/hr								1		2584942
	SP Small Tank 24.0Ω/2 element,M-SC,RS	15 lbs/hr			1							2584947
	SP Small Tank 60.0Ω/3 element,P-SC,RS	15 lbs/hr									1	2584950
	SP Small Tank 35.0Ω/3 element,A-SC,RS	20 lbs/hr								1		2584935
	SP Small Tank 24.0Ω/3 element,B-SC,RS	20 lbs/hr		1				1				2584936
	SP Small Tank 18.0Ω/3 element,C-SC,RS	20 lbs/hr	1			1	1					2584937
	SP Small Tank 46.5Ω/3 element,H-SC,RS	20 lbs/hr									1	2584942
	SP Small Tank 18.0Ω/2 element,N-SC,RS	20 lbs/hr			1							2584948
	SP Large Tank 16.0Ω/4 element,D-SC,RS	30 lbs/hr	1									2584938
	SP Large Tank 36.5Ω/6 element,E-SC,RS	30 lbs/hr					1					2584939
	SP Large Tank 16.0Ω/3 element,I-SC,RS	30 lbs/hr		1				1				2584943
	SP Large Tank 21.5Ω/4 element,O-SC,RS	30 lbs/hr			1							2584949
	SP Large Tank 21.5Ω/3 element,Q-SC,RS	30 lbs/hr								1		2584951
	SP Large Tank 33.7Ω/4 element,V-SC, RS	30 lbs/hr					1					2584956
	SP Large Tank 33.7Ω/3 element, X-SC, RS	30 lbs/hr									1	2584958
	SP Large Tank 16.0Ω/6 element,F-SC,RS	45 lbs/hr						1				2584940
	SP Large Tank 21.2Ω/6 element,J-SC,RS	45 lbs/hr							1			2584944
	SP Large Tank 45.0Ω/9 element,R-SC,RS	45 lbs/hr								1		2584952
	SP Large Tank 45.0Ω/6 element, Y-SC, RS	45 lbs/hr									1	2584959
	SP Large Tank 16.0Ω/9 element,G-RS,RS	65 lbs/hr						1				2584941
	SP Large Tank 21.2Ω/9 element,K-SC,RS	65 lbs/hr							1			2584945
	SP Large Tank 45.0Ω/9 element,R-SC,RS	65 lbs/hr									1	2584952
	SP Large Tank 21.5Ω/6 element,S-SC,RS	65 lbs/hr									1	2584953
	SP Large Tank 21.5Ω/9 element,T-SC,RS	90 lbs/hr								1		2584954
	SP Large Tank 33.7Ω/9 element, Z-SC, RS	90 lbs/hr									1	2584960
	SP Large Tank 16.0Ω/6 element,F-SC,RS	90 lbs/hr					2					2584940
	SP Large Tank 21.2Ω/6 element,J-SC,RS	90 lbs/hr						2				2584944
	SP Large Tank 16.0Ω/9 element,G-RS,RS	130 lbs/hr						2				2584941
	SP Large Tank 21.2Ω/9 element,K-SC,RS	130 lbs/hr							2			2584945
	SP Large Tank 45.0Ω/9 element,R-SC,RS	130 lbs/hr									2	2584952
	SP Large Tank 21.5Ω/6 element,S-SC,RS	130 lbs/hr								2		2584953
	SP Large Tank 21.5Ω/9 element,T-SC,RS	180 lbs/hr								2		2584954
	SP Large Tank 33.7Ω/9 element, Z-SC, RS	180 lbs/hr									2	2584960


Pos.	Article	Completion	Voltage								Art./SAP-No.	
			208V / 1	240V / 1	480V / 1	600V / 1	208V / 3	240V / 3	480V / 3	600V / 3		
107	SP Tank Lid Gasket 10-20lb, RS	10...20 lb/hr	1	1	1	1	1	1	1	1	1	2584845
	SP Tank Lid Gasket 30-180lb, RS	30...180 lb/hr	1	1	1	1	1	1	1	1	1	2584844
108	SP Tank Lid Clamp 10-20lb/hr, RS	10...20 lb/hr	1	1	1	1	1	1	1	1	1	2584827
	SP Tank Lid Clamp 30-180lb/hr, RS	30...180 lb/hr	1	1	1	1	1	1	1	1	1	2584828
109	SP Small Tank Strap, 10-20lb, RS	10...20 lb/hr	1	1	1	1	1	1	1	1	1	2584821
	SP Large Tank Strap, 30-180lb RS	30...180 lb/hr	1	1	1	1	1	1	1	1	1	2584822
110	SP SC Tank Liners 10-20lb/hr, RS	10...20 lb/hr	1	1	1	1	1	1	1	1	1	2584829
	SP SC Tank Liners 30-180lb/hr, RS	30...180 lb/hr	1	1	1	1	1	1	1	1	1	2584830
111	SP SC Tank Liner Retaining Ring, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	1	2584843
112	SP Snap Ring for Tank Base, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	1	2584883
113	SP Tank Base, SC 30-180lb/hr, RS	SC 10-180 lb/hr	1	1	1	1	1	1	1	1	1	2584824
	SP Tank Base 10-20lb/hr, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	1	2584826
	SP Tank Base 30-180lb/hr, RS											
114	SP Tank Base Gasket Kit, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	1	2584847
115	SP Scale Tank Connection Ring, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	1	2584823
116	SP SC tank Snap Ring Sealing kit, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	1	2584882
117	SP SC Tank Drain Strainer, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	1	2584837
118	SP Temp Indicator Scale Tank, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	1	2584886
119	SP SC Tank Drain Valve Kit, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	1	2584838
120	SP Scale Tank Replacement, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	1	2584881
121	SP Tank Lid Plug, RS	10...180 lbs/hr	1	1	1	1	1	1	1	1	1	2584863


Pos.	Article	Completion	Voltage								Art.-/SAP-No.	
			208V / 1 ~	240V / 1 ~	480V / 1 ~	600V / 1 ~	208V / 3 ~	240V / 3 ~	480V / 3 ~	600V / 3 ~		
201	SP Steam Outlet Adapter, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	1	2584884
202	SP Heating Plug 1, RS	10...20 lb/hr			1	1						2584857
	SP Heating Plug 2, RS	10...20 lb/hr	1	1								2584858
	SP Heating Plug 3, RS	45 lb/hr / 65 lb/hr / 130 lb/hr						1	1			2584859
	SP Heating Plug 4, RS	30 lb/hr / 45 lb/hr / 90 lb/hr					1	1				2584860
	SP Heating Plug 5, RS	45...180 lb/hr							1	1		2584861
	SP Heating Plug 6, RS	65 lb/hr / 130 lb/hr					1	1				2584862
203	SP 24V Power Switch, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	1	2584879
204	SP Door Lock 2pc, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	1	2584902
205	SP Cable Strain Relief Plate, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	1	2583106
206	SP Terminal Block, 2 Pole, 95 Amp	10...30 lb/hr	1	1	1	1						2574153
	SP Terminal block 3 pole 95 Amp	10...90 lb/hr					1	1	1	1		2574154
	SP Terminal block 3 pole 310 AMPU	90...180 lb/hr					1	1	1	1		2574156
207	SP Remote Fault Indication Board, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	1	2584880
208	SP Accessory Board, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	1	2589890
209	SP Transformer, 208/24 VAC, 150VA	10...180 lb/hr	1				1					2574166
	SP Transformer, 240/24 VAC, 150VA	10...180 lb/hr		1				1				2574167
	SP Transformer, 480/24 VAC, 150VA	10...180 lb/hr			1				1			2574168
	SP Transformer, 600/24 VAC, 150VA	10...180 lb/hr				1				1		2574169
210	SP IC Assembly Configured, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	1	2583070
	SP, IC Assembly	10...180 lb/hr	1	1	1	1	1	1	1	1	1	2579226
211	SP Driver Board, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	1	2579227
212	Contactator 30 Amp 1P	10...15 lb/hr	1	1	1	1						2574148
	Contactator 30 Amp 3P	10...15 lb/hr					1	1	1	1		2574149
	Contactator 30 Amp 1P	20 lb/hr			1	1						2574148
	Contactator 30 Amp 3P	20 lb/hr					1	1	1	1		2574149
	Contactator 40 Amp 3P	20 lb/hr		1								2574150
	Contactator 50 Amp 3P	20 lb/hr	1									2574151
	Contactator 30 Amp 1P	30 lb/hr			1	1						2574148
	Contactator 30 Amp 3P	30 lb/hr							1	1		2574149
	Contactator 40 Amp 3P	30 lb/hr	2	2			1	1				2574150
212	Contactator 30 Amp 3P	45 lb/hr					2		1	1		2574149
	Contactator 50 Amp 3P	45 lb/hr						1				2574151
	Contactator 30 Amp 3P	65 lb/hr					1	1		1		2574149
	Contactator 40 Amp 3P	65 lb/hr							1			2574150
	Contactator 50 Amp 3P	65 lb/hr					1	1				2574151
	Contactator 40 Amp 3P	90 lb/hr								1		2574150
	Contactator 50 Amp 3P	90 lb/hr							1			2574151
	Contactator 40 Amp 3P	90 lb/hr					4					2574150
	Contactator 50 Amp 3P	90 lb/hr						2				2574151

Pos.	Article	Completion	Voltage								Art./SAP-No.
			208V / 1~	240V / 1~	480V / 1~	600V / 1~	208V / 3~	240V / 3~	480V / 3~	600V / 3~	
212	Contactora 30 Amp 3P	130 lb/hr					2	2		2	2574149
	Contactora 40 Amp 3P	130 lb/hr								2	2574150
	Contactora 50 Amp 3P	130 lb/hr					2	2			2574151
	Contactora 40 Amp 3P	180 lb/hr								2	2574150
	Contactora 50 Amp 3P	180 lb/hr								2	2574151
213	SP DIN Rail 2 & 3 Pole Terminal, RS						1	1			2584853
	SP DIN Rail 2 Pole Terminal, RS						1	1	1		2584854
	SP DIN Rail 3 Pole Terminal, RS		1	1	1	1	1	1	1	1	2584855
	SP DIN Rail 2 Pole Terminal, RS		1	1	1	1			1	1	2584856
214	SP DIN Rail End Brackets, RS	10...180 lb/hr	2	2	2	2	2	2	2	2	2584852
215	SP PCB Breakout Board	10...180 lb/hr	1	1	1	1	1	1	1	1	2584890
216	SP Replacement 50A SSR, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	2584903
	SP Replacement 75A SSR, RS	90...130 lb/hr					1	1			2584904
N/S	SP GFI Board Retrofit Kit, RS	10...30 lb/hr			1	1					2588468
N/S	SP 1 Amp fuse		1	1	1	1	1	1	1	1	1453004
N/S	SP Level Sensing Cbl, Single Short, RS	10...90 lbs/hr (small + medium cabinets)	1	1	1	1	1	1	1	1	2590090
N/S	SP Level Sensing Cbl, Single Long, RS	90...180 lbs/hr (large cabinets)	1	1	1	1	1	1	1	1	2590091
N/S	SP Level Sensing Cbl, P Double Short, RS	10...90 lbs/hr (P) (small + medium cabinets)	1	1	1	1	1	1	1	1	2590092
N/S	SP Level Sensing Cbl, P Double Long, RS	90...180 lbs/hr (P) (large cabinets)	1	1	1	1	1	1	1	1	2588483
N/S	SP PARTS BAG; RS SINGLE TANK		1	1	1	1	1	1	1	1	2594680
N/S	SP PARTS BAG; RS DOUBLE TANK		1	1	1	1	1	1	1	1	2594681

Pos.	Article	Completion	Voltage								Art./SAP-No.
			208V / 1 ~	240V / 1 ~	480V / 1 ~	600V / 1 ~	208V / 3 ~	240V / 3 ~	480V / 3 ~	600V / 3 ~	
301	SP Hose Spring Clamp Kit, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	2584876
302	SP Fill Cup Kit, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	2584889
303	SP Tpl Valve 10-20lb 2 x 0.8 & 14L, RS	10...20 lb/hr (P + DWC)	1	1	1	1	1	1	1	1	2584833
	SP Tpl Valve 30-180lb 2 x 1.2 & 14L, RS	30...180 lb/hr (P + DWC)	1	1	1	1	1	1	1	1	2584835
304	SP Dbl Fill Valve 10-20lb 1.2 & 14L, RS	10...20 lb/hr (DWC)	1	1	1	1	1	1	1	1	2584832
	SP Dbl Fill Valve 30-180lb 2 & 14L, RS	30...180 lb/hr (DWC)	1	1	1	1	1	1	1	1	2584834
305	SP Drain cup, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	2584836
306	SP Basic Level Sensing Chamber, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	2584839
	SP Process Level Sensing Chamber, RS	10...180 lb/hr (P)	1	1	1	1	1	1	1	1	2584840
307	SP Gasket Level Sensing Chamber, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	2584846
308	SP Outside Level Sensor PCB, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	2584841
309	SP Process Level Sensor PCB, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	2584842
310	SP Cable Level Sensor PCB, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	2588483
311	SP Drain Pump + mounts, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	2584887
312	SP Level Control 10-20lb Hose Kit, RS	10...20 lb/hr	1	1	1	1	1	1	1	1	2584877
	SP Level Control 30-180lb Hose Kit, RS	30...180 lb/hr	1	1	1	1	1	1	1	1	2584878
313	SP Triple Valve Hoses 10-20lb, RS	10...20 lb/hr	1	1	1	1	1	1	1	1	2584896
	SP Triple Valve Hoses 30-180lb, RS	30...180 lb/hr	1	1	1	1	1	1	1	1	2584897
314	SP Double Valve Hoses 10-20lb, RS	10...20 lb/hr	1	1	1	1	1	1	1	1	2584898
	SP Double Valve Hoses 30-180lb, RS	30...180 lb/hr	1	1	1	1	1	1	1	1	2584899
315	SP Drain Cooling Hose 0-20lb, RS	10...20 lb/hr	1	1	1	1	1	1	1	1	2584892
	SP Drain Cooling Hose 30-180lb, RS	30...180 lb/hr	1	1	1	1	1	1	1	1	2584893
316	SP Fill Cup:Drain Cup Hose 10-20lb, RS	10...20 lb/hr	1	1	1	1	1	1	1	1	2584900
	SP Fill Cup:Drain Cup Hose 30-180lb, RS	30...180 lb/hr	1	1	1	1	1	1	1	1	2584901
317	SP Pump Hose Kit 10-20lb/hr, RS	10...20 lb/hr	1	1	1	1	1	1	1	1	2584895
	SP Pump Hose Kit 30-180lb/hr, RS	30...180 lb/hr	1	1	1	1	1	1	1	1	2584894
318	SP Water Inlet Adapter 30-180lb, RS	30...180 lb/hr	1	1	1	1	1	1	1	1	2584891
319	SP Preformed Drain Hose, RS	10...180 lb/hr	1	1	1	1	1	1	1	1	2588484









U.S.A.
835 Commerce Park Drive
Ogdensburg, New York 13669

CANADA
2740 Fenton Road
Ottawa, Ontario K1T 3T7

TEL: 1.866.667.8321
FAX: 613.822.7964

EMAIL: na.info@condair.com
WEBSITE: www.condair.com

