



## Nortec RS series

### SPARE PARTS

Subject to change!

| Pos. | Article                             | Completion      | Voltage        |                |                |                |                |                |                |                | Art.-/SAP-No. |
|------|-------------------------------------|-----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|---------------|
|      |                                     |                 | 208V / 1-<br>2 | 240V / 1-<br>2 | 480V / 1-<br>2 | 600V / 1-<br>2 | 208V / 3-<br>4 | 240V / 3-<br>4 | 480V / 3-<br>4 | 600V / 3-<br>4 |               |
| 101  | SP Steam Outlet Hose, RS            | 10...180 lbs/hr | 1              | 1              | 1              | 1              | 1              | 1              | 1              | 1              | 2584885       |
| 102  | SP Plumbing Element Plug 10 pol, RS | 10...20 lbs/hr  | 1              | 1              | 1              | 1              | 1              | 1              | 1              | 1              | 2584849       |
|      | SP Plumbing Element Plug 16 pol, RS | 30 lbs/hr       | 1              | 1              | 1              | 1              | 1              | 1              | 1              | 1              | 2584850       |
|      | SP Plumbing Element Plug 16 pol, RS | 45 lbs/hr       |                |                |                |                | 1              | 1              |                | 1              | 2584850       |
|      | SP Plumbing Element Plug 24 pol, RS | 45 lbs/hr       |                |                |                |                |                |                | 1              |                | 2584851       |
|      | SP Plumbing Element Plug 24 pol, RS | 65 lbs/hr       |                |                |                |                | 1              | 1              |                | 1              | 2584851       |
|      | SP Plumbing Element Plug 16 pol, RS | 65 lbs/hr       |                |                |                |                |                |                | 1              |                | 2584850       |
|      | SP Plumbing Element Plug 24 pol, RS | 90 lbs/hr       |                |                |                |                |                |                | 1              | 1              | 2584851       |
|      | SP Plumbing Element Plug 24 pol, RS | 90 lbs/hr       |                |                |                |                | 2              | 2              |                |                | 2584851       |
|      | SP Plumbing Element Plug 24 pol, RS | 130 lbs/hr      |                |                |                |                | 2              | 2              |                | 2              | 2584851       |
|      | SP Plumbing Element Plug 16 pol, RS | 130 lbs/hr      |                |                |                |                |                |                | 2              |                | 2584850       |
|      | SP Plumbing Element Plug 24 pol, RS | 180 lbs/hr      |                |                |                |                |                |                | 2              | 2              | 2584851       |
| 103  | SP Thermostat, RS                   | 10...180 lbs/hr | 1              | 1              | 1              | 1              | 1              | 1              | 1              | 1              | 2584888       |
| 104  | SP Heating Element 2040W, RS        | 10 lbs/hr       |                |                |                |                |                |                | 3              |                | 2584864       |
|      | SP Heating Element 1290W, RS        | 10 lbs/hr       |                |                |                |                |                |                |                | 3              | 2584865       |
|      | SP Heating Element 2630W, RS        | 10 lbs/hr       |                | 3              |                |                |                | 3              |                |                | 2584871       |
|      | SP Heating Element 2240W, RS        | 10 lbs/hr       | 3              |                | 2              | 2              | 3              |                |                |                | 2584872       |
|      | SP Heating Element 2040W, RS        | 15 lbs/hr       |                |                |                |                |                |                |                | 3              | 2584864       |
|      | SP Heating Element 2630W, RS        | 15 lbs/hr       |                |                |                |                |                |                | 3              |                | 2584871       |
|      | SP Heating Element 2240W, RS        | 15 lbs/hr       |                | 3              |                |                |                | 3              |                |                | 2584872       |
|      | SP Heating Element 2600W, RS        | 15 lbs/hr       | 3              |                | 2              | 3              | 3              |                |                |                | 2584873       |
|      | SP Heating Element 2630W, RS        | 20 lbs/hr       |                |                |                |                |                |                |                | 3              | 2584871       |
|      | SP Heating Element 2240W, RS        | 20 lbs/hr       |                |                |                |                |                |                | 3              |                | 2584872       |
|      | SP Heating Element 2600W, RS        | 20 lbs/hr       |                | 3              |                |                |                | 3              |                |                | 2584873       |
|      | SP Heating Element 3470W, RS        | 20 lbs/hr       | 3              |                | 2              | 3              | 3              |                |                |                | 2584874       |
|      | SP Heating Element 2000W, RS        | 30 lbs/hr       |                |                |                |                | 6              |                |                |                | 2584866       |
|      | SP Heating Element 3630W, RS        | 30 lbs/hr       |                |                |                | 4              |                |                |                | 3              | 2584868       |
|      | SP Heating Element 3650W, RS        | 30 lbs/hr       |                |                | 4              |                |                |                | 3              |                | 2584869       |
|      | SP Heating Element 3300W, RS        | 30 lbs/hr       | 4              | 3              |                |                |                | 3              |                |                | 2584875       |
|      | SP Heating Element 2500W, RS        | 45 lbs/hr       |                |                |                |                |                | 6              |                |                | 2584867       |
|      | SP Heating Element 2720W, RS        | 45 lbs/hr       |                |                |                |                |                |                | 9              | 6              | 2584870       |
|      | SP Heating Element 3300W, RS        | 45 lbs/hr       |                |                |                |                | 6              |                |                |                | 2584870       |
|      | SP Heating Element 2500W, RS        | 65 lbs/hr       |                |                |                |                |                | 9              |                |                | 2584867       |
|      | SP Heating Element 2720W, RS        | 65 lbs/hr       |                |                |                |                |                |                |                | 9              | 2584870       |
|      | SP Heating Element 3650W, RS        | 65 lbs/hr       |                |                |                |                |                |                | 6              |                | 2584869       |
|      | SP Heating Element 3300W, RS        | 65 lbs/hr       |                |                |                |                | 9              |                |                |                | 2584875       |

| Pos. | Article                             | Completion        | Voltage   |           |           |           |           |           |           |           | Art.-/SAP-No. |
|------|-------------------------------------|-------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------------|
|      |                                     |                   | 208V / 1~ | 240V / 1~ | 480V / 1~ | 600V / 1~ | 208V / 3~ | 240V / 3~ | 480V / 3~ | 600V / 3~ |               |
| 104  | SP Heating Element 3630W, RS        | 90 lbs/hr         |           |           |           |           |           |           |           | 9         | 2584868       |
|      | SP Heating Element 3650W, RS        | 90 lbs/hr         |           |           |           |           |           |           | 9         |           | 2584869       |
|      | SP Heating Element 2500W, RS        | 90 lbs/hr, Large  |           |           |           |           |           | 12        |           |           | 2584867       |
|      | SP Heating Element 3300W, RS        | 90 lbs/hr, Large  |           |           |           |           | 12        |           |           |           | 2584875       |
|      |                                     |                   |           |           |           |           |           |           |           |           |               |
|      | SP Heating Element 2500W, RS        | 130 lbs/hr, Large |           |           |           |           |           | 18        |           |           | 2584867       |
|      | SP Heating Element 3300W, RS        | 130 lbs/hr, Large |           |           |           |           | 18        |           |           |           | 2584875       |
|      | SP Heating Element 2720W, RS        | 130 lbs/hr, Large |           |           |           |           |           |           | 18        |           | 2584870       |
|      | SP Heating Element 3650W, RS        | 130 lbs/hr, Large |           |           |           |           |           |           | 12        |           | 2584869       |
|      |                                     |                   |           |           |           |           |           |           |           |           |               |
|      | SP Heating Element 3630W, RS        | 180 lbs/hr, Large |           |           |           |           |           |           |           | 18        | 2584868       |
|      | SP Heating Element 3650W, RS        | 180 lbs/hr, Large |           |           |           |           |           |           | 18        |           | 2584869       |
|      |                                     |                   |           |           |           |           |           |           |           |           |               |
|      |                                     |                   |           |           |           |           |           |           |           |           |               |
| 105  | SP Heating element gasket kit 3pcs. | 10...180 lbs/hr   | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584848       |
| 106  | Tanks without scale management      |                   |           |           |           |           |           |           |           |           |               |
|      | SP Small Tank 35.0 Ω/3 element,A,RS | 10 lbs/hr         | 1         |           |           |           | 1         |           |           |           | 2584905       |
|      | SP Small Tank 46.5 Ω/3 element,H,RS | 10 lbs/hr         |           | 1         |           |           |           | 1         |           |           | 2584912       |
|      | SP Small Tank 35.0Ω/2 element,L,RS  | 10 lbs/hr         |           |           | 1         |           |           |           |           |           | 2584916       |
|      | SP Small Tank 60.0Ω/3 element,P,RS  | 10 lbs/hr         |           |           |           |           |           |           | 1         |           | 2584920       |
|      | SP Small Tank 45.6Ω/2 element,U,RS  | 10 lbs/hr         |           |           |           | 1         |           |           |           |           | 2584925       |
|      | SP Small Tank 95.0Ω/3 element,W,RS  | 10 lbs/hr         |           |           |           |           |           |           |           | 1         | 2584931       |
|      |                                     |                   |           |           |           |           |           |           |           |           |               |
|      | SP Small Tank 35.0 Ω/3 element,A,RS | 15 lbs/hr         |           | 1         |           |           |           | 1         |           |           | 2584905       |
|      | SP Small Tank 24.0 Ω/3 element,B,RS | 15 lbs/hr         | 1         |           |           | 1         | 1         |           |           |           | 2584906       |
|      | SP Small Tank 46.5 Ω/3 element,H,RS | 15 lbs/hr         |           |           |           |           |           |           | 1         |           | 2584912       |
|      | SP Small Tank 24.0Ω/2 element,M,RS  | 15 lbs/hr         |           |           | 1         |           |           |           |           |           | 2584917       |
|      | SP Small Tank 60.0Ω/3 element,P,RS  | 15 lbs/hr         |           |           |           |           |           |           |           | 1         | 2584920       |
|      |                                     |                   |           |           |           |           |           |           |           |           |               |
|      | SP Small Tank 35.0 Ω/3 element,A,RS | 20 lbs/hr         |           |           |           |           |           |           | 1         |           | 2584905       |
|      | SP Small Tank 24.0 Ω/3 element,B,RS | 20 lbs/hr         |           | 1         |           |           |           | 1         |           |           | 2584906       |
|      | SP Small Tank 18.0 Ω/3 element,C,RS | 20 lbs/hr         | 1         |           |           | 1         | 1         |           |           |           | 2584907       |
|      | SP Small Tank 46.5 Ω/3 element,H,RS | 20 lbs/hr         |           |           |           |           |           |           |           | 1         | 2584912       |
|      | SP Small Tank 18.0Ω/2 element,N,RS  | 20 lbs/hr         |           |           | 1         |           |           |           |           |           | 2584918       |
|      |                                     |                   |           |           |           |           |           |           |           |           |               |
|      | SP Large Tank 16.0 Ω/4 element,D,RS | 30 lbs/hr         | 1         |           |           |           |           |           |           |           | 2584908       |
|      | SP Large Tank 26.5 Ω/6 element,E,RS | 30 lbs/hr         |           |           |           |           | 1         |           |           |           | 2584909       |
|      | SP Small Tank 16.0 Ω/3 element,I,RS | 30 lbs/hr         |           | 1         |           |           |           | 1         |           |           | 2584913       |
|      | SP Large Tank 21.5Ω/4 element,O,RS  | 30 lbs/hr         |           |           | 1         |           |           |           |           |           | 2584919       |
|      | SP Large Tank 21.5Ω/3 element,Q,RS  | 30 lbs/hr         |           |           |           |           |           |           | 1         |           | 2584921       |
|      | SP Large Tank 33.7Ω/4 element,V,RS  | 30 lbs/hr         |           |           |           | 1         |           |           |           |           | 2584926       |
|      | SP Large Tank 33.7Ω/3 element,X,RS  | 30 lbs/hr         |           |           |           |           |           |           |           | 1         | 2584932       |
|      |                                     |                   |           |           |           |           |           |           |           |           |               |
|      | SP Large Tank 16.0 Ω/6 element,F,RS | 45 lbs/hr         |           |           |           |           | 1         |           |           |           | 2584910       |
|      | SP Small Tank 21.2 Ω/6 element,J,RS | 45 lbs/hr         |           |           |           |           |           | 1         |           |           | 2584914       |
|      | SP Large Tank 45.0Ω/9 element,R,RS  | 45 lbs/hr         |           |           |           |           |           |           | 1         |           | 2584922       |
|      | SP Large Tank 45.0Ω/6 element,Y,RS  | 45 lbs/hr         |           |           |           |           |           |           |           | 1         | 2584933       |
|      |                                     |                   |           |           |           |           |           |           |           |           |               |
|      | SP Large Tank 16.0 Ω/9 element,G,RS | 65 lbs/hr         |           |           |           |           | 1         |           |           |           | 2584911       |
|      | SP Small Tank 21.2 Ω/9 element,K,RS | 65 lbs/hr         |           |           |           |           |           | 1         |           |           | 2584915       |
|      | SP Large Tank 45.0Ω/9 element,R,RS  | 65 lbs/hr         |           |           |           |           |           |           |           | 1         | 2584922       |
|      | SP Large Tank 21.5Ω/6 element,S,RS  | 65 lbs/hr         |           |           |           |           |           |           | 1         |           | 2584923       |
|      |                                     |                   |           |           |           |           |           |           |           |           |               |
|      | SP Large Tank 21.5Ω/9 element,T,RS  | 90 lbs/hr         |           |           |           |           |           |           | 1         |           | 2584924       |
|      | SP Large Tank 33.7Ω/9 element,Z,RS  | 90 lbs/hr         |           |           |           |           |           |           |           | 1         | 2584934       |
|      |                                     |                   |           |           |           |           |           |           |           |           |               |
|      | SP Large Tank 16.0 Ω/6 element,F,RS | 90 lbs/hr         |           |           |           |           | 2         |           |           |           | 2584910       |
|      | SP Small Tank 21.2 Ω/6 element,J,RS | 90 lbs/hr         |           |           |           |           |           | 2         |           |           | 2584914       |


| Pos. | Article                                 | Completion | Voltage   |           |           |           |           |           |           |           | Art.-/SAP-No. |
|------|-----------------------------------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------------|
|      |                                         |            | 208V / 1~ | 240V / 1~ | 480V / 1~ | 600V / 1~ | 208V / 3~ | 240V / 3~ | 480V / 3~ | 600V / 3~ |               |
| 106  | SP Large Tank 16.0 Ω/9 element,G,RS     | 130 lbs/hr |           |           |           |           | 2         |           |           |           | 2584911       |
|      | SP Small Tank 21.2 Ω/9 element,K,RS     | 130 lbs/hr |           |           |           |           |           | 2         |           |           | 2584915       |
|      | SP Large Tank 45.0Ω/9 element,R,RS      | 130 lbs/hr |           |           |           |           |           |           | 2         |           | 2584922       |
|      | SP Large Tank 21.5Ω/6 element,S,RS      | 130 lbs/hr |           |           |           |           |           |           | 2         |           | 2584923       |
|      | SP Large Tank 21.5Ω/9 element,T,RS      | 180 lbs/hr |           |           |           |           |           |           | 2         |           | 2584924       |
|      | SP Large Tank 33.7Ω/9 element,Z,RS      | 180 lbs/hr |           |           |           |           |           |           |           | 2         | 2584934       |
|      |                                         |            |           |           |           |           |           |           |           |           |               |
| 106  | Tanks with scale management             |            |           |           |           |           |           |           |           |           |               |
|      | SP Small Tank 35.0Ω/3 element,A-SC,RS   | 10 lbs/hr  | 1         |           |           |           | 1         |           |           |           | 2584935       |
|      | SP Small Tank 46.5Ω/3 element,H-SC,RS   | 10 lbs/hr  |           | 1         |           |           |           | 1         |           |           | 2584942       |
|      | SP Small Tank 35.0Ω/2 element,L-SC,RS   | 10 lbs/hr  |           |           | 1         |           |           |           |           |           | 2584946       |
|      | SP Small Tank 60.0Ω/3 element,P-SC,RS   | 10 lbs/hr  |           |           |           |           |           |           | 1         |           | 2584950       |
|      | SP Small Tank 46.5Ω/2 element,U-SC, RS  | 10 lbs/hr  |           |           |           | 1         |           |           |           |           | 2584955       |
|      | SP Small Tank 95.0Ω/3 element, W-SC, RS | 10 lbs/hr  |           |           |           |           |           |           |           | 1         | 2584957       |
|      |                                         |            |           |           |           |           |           |           |           |           |               |
|      | SP Small Tank 35.0Ω/3 element,A-SC,RS   | 15 lbs/hr  |           | 1         |           |           |           | 1         |           |           | 2584935       |
|      | SP Small Tank 24.0Ω/3 element,B-SC,RS   | 15 lbs/hr  | 1         |           |           | 1         | 1         |           |           |           | 2584936       |
|      | SP Small Tank 46.5Ω/3 element,H-SC,RS   | 15 lbs/hr  |           |           |           |           |           |           | 1         |           | 2584942       |
|      | SP Small Tank 24.0Ω/2 element,M-SC,RS   | 15 lbs/hr  |           |           | 1         |           |           |           |           |           | 2584947       |
|      | SP Small Tank 60.0Ω/3 element,P-SC,RS   | 15 lbs/hr  |           |           |           |           |           |           |           | 1         | 2584950       |
|      |                                         |            |           |           |           |           |           |           |           |           |               |
|      | SP Small Tank 35.0Ω/3 element,A-SC,RS   | 20 lbs/hr  |           |           |           |           |           |           | 1         |           | 2584935       |
|      | SP Small Tank 24.0Ω/3 element,B-SC,RS   | 20 lbs/hr  |           | 1         |           |           |           | 1         |           |           | 2584936       |
|      | SP Small Tank 18.0Ω/3 element,C-SC,RS   | 20 lbs/hr  | 1         |           |           | 1         | 1         |           |           |           | 2584937       |
|      | SP Small Tank 46.5Ω/3 element,H-SC,RS   | 20 lbs/hr  |           |           |           |           |           |           |           | 1         | 2584942       |
|      | SP Small Tank 18.0Ω/2 element,N-SC,RS   | 20 lbs/hr  |           |           | 1         |           |           |           |           |           | 2584948       |
|      |                                         |            |           |           |           |           |           |           |           |           |               |
|      | SP Large Tank 16.0Ω/4 element,D-SC,RS   | 30 lbs/hr  | 1         |           |           |           |           |           |           |           | 2584938       |
|      | SP Large Tank 36.5Ω/6 element,E-SC,RS   | 30 lbs/hr  |           |           |           |           | 1         |           |           |           | 2584939       |
|      | SP Large Tank 16.0Ω/3 element,I-SC,RS   | 30 lbs/hr  |           | 1         |           |           |           | 1         |           |           | 2584943       |
|      | SP Large Tank 21.5Ω/4 element,O-SC,RS   | 30 lbs/hr  |           |           | 1         |           |           |           |           |           | 2584949       |
|      | SP Large Tank 21.5Ω/3 element,Q-SC,RS   | 30 lbs/hr  |           |           |           |           |           |           | 1         |           | 2584951       |
|      | SP Large Tank 33.7Ω/4 element,V-SC, RS  | 30 lbs/hr  |           |           |           | 1         |           |           |           |           | 2584956       |
|      | SP Large Tank 33.7Ω/3 element, X-SC, RS | 30 lbs/hr  |           |           |           |           |           |           |           | 1         | 2584958       |
|      |                                         |            |           |           |           |           |           |           |           |           |               |
|      | SP Large Tank 16.0Ω/6 element,F-SC,RS   | 45 lbs/hr  |           |           |           |           | 1         |           |           |           | 2584940       |
|      | SP Large Tank 21.2Ω/6 element,J-SC,RS   | 45 lbs/hr  |           |           |           |           |           | 1         |           |           | 2584944       |
|      | SP Large Tank 45.0Ω/9 element,R-SC,RS   | 45 lbs/hr  |           |           |           |           |           |           | 1         |           | 2584952       |
|      | SP Large Tank 45.0Ω/6 element, Y-SC, RS | 45 lbs/hr  |           |           |           |           |           |           |           | 1         | 2584959       |
|      |                                         |            |           |           |           |           |           |           |           |           |               |
|      | SP Large Tank 16.0Ω/9 element,G-RS,RS   | 65 lbs/hr  |           |           |           |           | 1         |           |           |           | 2584941       |
|      | SP Large Tank 21.2Ω/9 element,K-SC,RS   | 65 lbs/hr  |           |           |           |           |           | 1         |           |           | 2584945       |
|      | SP Large Tank 45.0Ω/9 element,R-SC,RS   | 65 lbs/hr  |           |           |           |           |           |           |           | 1         | 2584952       |
|      | SP Large Tank 21.5Ω/6 element,S-SC,RS   | 65 lbs/hr  |           |           |           |           |           |           | 1         |           | 2584953       |
|      |                                         |            |           |           |           |           |           |           |           |           |               |
|      | SP Large Tank 21.5Ω/9 element,T-SC,RS   | 90 lbs/hr  |           |           |           |           |           |           | 1         |           | 2584954       |
|      | SP Large Tank 33.7Ω/9 element, Z-SC, RS | 90 lbs/hr  |           |           |           |           |           |           |           | 1         | 2584960       |
|      |                                         |            |           |           |           |           |           |           |           |           |               |
|      | SP Large Tank 16.0Ω/6 element,F-SC,RS   | 90 lbs/hr  |           |           |           |           | 2         |           |           |           | 2584940       |
|      | SP Large Tank 21.2Ω/6 element,J-SC,RS   | 90 lbs/hr  |           |           |           |           |           | 2         |           |           | 2584944       |
|      |                                         |            |           |           |           |           |           |           |           |           |               |
|      | SP Large Tank 16.0Ω/9 element,G-RS,RS   | 130 lbs/hr |           |           |           |           | 2         |           |           |           | 2584941       |
|      | SP Large Tank 21.2Ω/9 element,K-SC,RS   | 130 lbs/hr |           |           |           |           |           | 2         |           |           | 2584945       |
|      | SP Large Tank 45.0Ω/9 element,R-SC,RS   | 130 lbs/hr |           |           |           |           |           |           |           | 2         | 2584952       |
|      | SP Large Tank 21.5Ω/6 element,S-SC,RS   | 130 lbs/hr |           |           |           |           |           |           | 2         |           | 2584953       |
|      |                                         |            |           |           |           |           |           |           |           |           |               |
|      | SP Large Tank 21.5Ω/9 element,T-SC,RS   | 180 lbs/hr |           |           |           |           |           |           | 2         |           | 2584954       |
|      | SP Large Tank 33.7Ω/9 element, Z-SC, RS | 180 lbs/hr |           |           |           |           |           |           |           | 2         | 2584960       |

| Pos. | Article                             | Completion      | Voltage   |           |           |           |           |           |           |           | Art.-/SAP-No. |
|------|-------------------------------------|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------------|
|      |                                     |                 | 208V / 1~ | 240V / 1~ | 480V / 1~ | 600V / 1~ | 208V / 3~ | 240V / 3~ | 480V / 3~ | 600V / 3~ |               |
| 107  | SP Tank Lid Gasket 10-20lb, RS      | 10...20 lb/hr   | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584845       |
|      | SP Tank Lid Gasket 30-180lb, RS     | 30...180 lb/hr  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584844       |
| 108  | SP Tank Lid Clamp 10-20lb/hr, RS    | 10...20 lb/hr   | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584827       |
|      | SP Tank Lid Clamp 30-180lb/hr, RS   | 30...180 lb/hr  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584828       |
| 109  | SP Small Tank Strap, 10-20lb, RS    | 10...20 lb/hr   | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584821       |
|      | SP Large Tank Strap, 30-180lb RS    | 30...180 lb/hr  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584822       |
| 110  | SP SC Tank Liners 10-20lb/hr, RS    | 10...20 lb/hr   | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584829       |
|      | SP SC Tank Liners 30-180lb/hr, RS   | 30...180 lb/hr  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584830       |
| 111  | SP SC Tank Liner Retaining Ring, RS | 10...180 lb/hr  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584843       |
| 112  | SP Snap Ring for Tank Base, RS      | 10...180 lb/hr  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584883       |
| 113  | SP Tank Base, SC 30-180lb/hr, RS    | SC 10-180 lb/hr | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584824       |
|      | SP Tank Base 10-20lb/hr, RS         | 10...180 lb/hr  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584826       |
|      | SP Tank Base 30-180lb/hr, RS        |                 |           |           |           |           |           |           |           |           |               |
| 114  | SP Tank Base Gasket Kit, RS         | 10...180 lb/hr  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584847       |
| 117  | SP SC Tank Drain Strainer, RS       | 10...180 lb/hr  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584837       |
| 118  | SP Temp Indicator Scale Tank, RS    | 10...180 lb/hr  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584886       |
| 119  | SP SC Tank Drain Valve Kit, RS      | 10...180 lb/hr  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584838       |
| 120  | SP Scale Tank Replacement, RS       | 10...180 lb/hr  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584881       |
| 121  | SP Tank Lid Plug, RS                | 10...180 lbs/hr | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584863       |
| 122  | SP Scale tank and Connection ring   | 10...180 lbs/hr | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2599518       |
| 201  | SP Steam Outlet Adapter, RS         | 10...180 lb/hr  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584884       |


| Pos. | Article                              | Completion                      | Voltage   |           |           |           |           |           |           |           | Art.-/SAP-No. |
|------|--------------------------------------|---------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------------|
|      |                                      |                                 | 208V / 1~ | 240V / 1~ | 480V / 1~ | 600V / 1~ | 208V / 3~ | 240V / 3~ | 480V / 3~ | 600V / 3~ |               |
| 202  | SP Heating Plug 1, RS                | 10...20 lb/hr                   |           |           | 1         | 1         |           |           |           |           | 2584857       |
|      | SP Heating Plug 2, RS                | 10...20 lb/hr                   | 1         | 1         |           |           |           |           |           |           | 2584858       |
|      | SP Heating Plug 3, RS                | 45 lb/hr / 65 lb/hr / 130 lb/hr |           |           |           |           |           |           | 1         | 1         | 2584859       |
|      | SP Heating Plug 4, RS                | 30 lb/hr / 45 lb/hr / 90 lb/hr  |           |           |           |           | 1         | 1         |           |           | 2584860       |
|      | SP Heating Plug 5, RS                | 45...180 lb/hr                  |           |           |           |           |           |           | 1         | 1         | 2584861       |
|      | SP Heating Plug 6, RS                | 65 lb/hr / 130 lb/hr            |           |           |           |           | 1         | 1         |           |           | 2584862       |
| 203  | SP 24V Power Switch, RS              | 10...180 lb/hr                  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584879       |
| 204  | SP Door Lock 2pc, RS                 | 10...180 lb/hr                  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584902       |
| 205  | SP Cable Strain Relief Plate, RS     | 10...180 lb/hr                  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2583106       |
| 206  | SP Terminal Block, 2 Pole, 95 Amp    | 10...30 lb/hr                   | 1         | 1         | 1         | 1         |           |           |           |           | 2574153       |
|      | SP Terminal block 3 pole 95 Amp      | 10...90 lb/hr                   |           |           |           |           | 1         | 1         | 1         | 1         | 2574154       |
|      | SP Terminal block 3 pole 310 AMPU    | 90...180 lb/hr                  |           |           |           |           | 1         | 1         | 1         | 1         | 2574156       |
| 207  | SP Remote Fault Indication Board, RS | 10...180 lb/hr                  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584880       |
| 208  | SP Accessory Board, RS               | 10...180 lb/hr                  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2589890       |
| 209  | SP Transformer, 208/24 VAC, 150VA    | 10...180 lb/hr                  | 1         |           |           |           | 1         |           |           |           | 2574166       |
|      | SP Transformer, 240/24 VAC, 150VA    | 10...180 lb/hr                  |           | 1         |           |           |           | 1         |           |           | 2574167       |
|      | SP Transformer, 480/24 VAC, 150VA    | 10...180 lb/hr                  |           |           | 1         |           |           |           | 1         |           | 2574168       |
|      | SP Transformer, 600/24 VAC, 150VA    | 10...180 lb/hr                  |           |           |           | 1         |           |           |           | 1         | 2574169       |
| 210  | SP IC Assembly Configured, RS        | 10...180 lb/hr                  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2583070       |
|      | SP, IC Assembly                      | 10...180 lb/hr                  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2579226       |
| 211  | SP Driver Board, RS                  | 10...180 lb/hr                  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2579227       |
| 212  | Contactor 30 Amp 1P                  | 10...15 lb/hr                   | 1         | 1         | 1         | 1         |           |           |           |           | 2574148       |
|      | Contactor 30 Amp 3P                  | 10...15 lb/hr                   |           |           |           |           | 1         | 1         | 1         | 1         | 2574149       |
|      | Contactor 30 Amp 1P                  | 20 lb/hr                        |           |           | 1         | 1         |           |           |           |           | 2574148       |
|      | Contactor 30 Amp 3P                  | 20 lb/hr                        |           |           |           |           | 1         | 1         | 1         | 1         | 2574149       |
|      | Contactor 40 Amp 3P                  | 20 lb/hr                        |           | 1         |           |           |           |           |           |           | 2574150       |
|      | Contactor 50 Amp 3P                  | 20 lb/hr                        | 1         |           |           |           |           |           |           |           | 2574151       |
|      | Contactor 30 Amp 1P                  | 30 lb/hr                        |           |           | 1         | 1         |           |           |           |           | 2574148       |
|      | Contactor 30 Amp 3P                  | 30 lb/hr                        |           |           |           |           |           |           | 1         | 1         | 2574149       |
|      | Contactor 40 Amp 3P                  | 30 lb/hr                        | 2         | 2         |           |           | 1         | 1         |           |           | 2574150       |
| 212  | Contactor 30 Amp 3P                  | 45 lb/hr                        |           |           |           |           | 2         |           | 1         | 1         | 2574149       |
|      | Contactor 50 Amp 3P                  | 45 lb/hr                        |           |           |           |           |           | 1         |           |           | 2574151       |
|      | Contactor 30 Amp 3P                  | 65 lb/hr                        |           |           |           |           | 1         | 1         |           | 1         | 2574149       |
|      | Contactor 40 Amp 3P                  | 65 lb/hr                        |           |           |           |           |           |           | 1         |           | 2574150       |
|      | Contactor 50 Amp 3P                  | 65 lb/hr                        |           |           |           |           | 1         | 1         |           |           | 2574151       |
|      | Contactor 40 Amp 3P                  | 90 lb/hr                        |           |           |           |           |           |           |           | 1         | 2574150       |
|      | Contactor 50 Amp 3P                  | 90 lb/hr                        |           |           |           |           |           |           | 1         |           | 2574151       |
|      | Contactor 40 Amp 3P                  | 90 lb/hr                        |           |           |           |           | 4         |           |           |           | 2574150       |
|      | Contactor 50 Amp 3P                  | 90 lb/hr                        |           |           |           |           |           | 2         |           |           | 2574151       |
| 212  | Contactor 30 Amp 3P                  | 130 lb/hr                       |           |           |           |           | 2         | 2         |           | 2         | 2574149       |


| Pos. | Article                                  | Completion                                   | Voltage   |           |           |           |           |           |           |           | Art./SAP-No. |
|------|------------------------------------------|----------------------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|
|      |                                          |                                              | 208V / 1~ | 240V / 1~ | 480V / 1~ | 600V / 1~ | 208V / 3~ | 240V / 3~ | 480V / 3~ | 600V / 3~ |              |
|      | Contactor 40 Amp 3P                      | 130 lb/hr                                    |           |           |           |           |           |           | 2         |           | 2574150      |
|      | Contactor 50 Amp 3P                      | 130 lb/hr                                    |           |           |           |           | 2         | 2         |           |           | 2574151      |
|      | Contactor 40 Amp 3P                      | 180 lb/hr                                    |           |           |           |           |           |           |           | 2         | 2574150      |
|      | Contactor 50 Amp 3P                      | 180 lb/hr                                    |           |           |           |           |           |           | 2         |           | 2574151      |
| 213  | SP DIN Rail 2 & 3 Pole Terminal, RS      |                                              |           |           |           |           | 1         | 1         |           |           | 2584853      |
|      | SP DIN Rail 2 Pole Terminal, RS          |                                              |           |           |           |           | 1         | 1         | 1         |           | 2584854      |
|      | SP DIN Rail 3 Pole Terminal, RS          |                                              | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584855      |
|      | SP DIN Rail 2 Pole Terminal, RS          |                                              | 1         | 1         | 1         | 1         |           |           | 1         | 1         | 2584856      |
| 214  | SP DIN Rail End Brackets, RS             | 10...180 lb/hr                               | 2         | 2         | 2         | 2         | 2         | 2         | 2         | 2         | 2584852      |
| 215  | SP PCB Breakout Board                    | 10...180 lb/hr                               | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584890      |
| 216  | SP Replacement 50A SSR, RS               | 10...180 lb/hr                               | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584903      |
|      | SP Replacement 75A SSR, RS               | 90...130 lb/hr                               |           |           |           |           | 1         | 1         |           |           | 2584904      |
| 217  | SP Kit, Plumbing EL/RS Door              | Small cabinet                                | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2597260      |
|      |                                          | Medium cabinet                               | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2597256      |
|      |                                          | Large cabinet                                |           |           |           |           | 1         | 1         | 1         | 1         | 2597258      |
| 218  | SP Kit, Electrical RS Door               | Small cabinet                                | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2597374      |
|      |                                          | Medium cabinet                               | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2597375      |
|      |                                          | Large cabinet                                |           |           |           |           | 1         | 1         | 1         | 1         | 2597376      |
| N/S  | SP GFI Board Retrofit Kit, RS            | 10...30 lb/hr                                |           |           | 1         | 1         |           |           |           |           | 2588468      |
| N/S  | SP 1 Amp fuse                            |                                              | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1453004      |
| N/S  | SP Level Sensing Cbl, Single Short, RS   | 10...90 lbs/hr (small + medium cabinets)     | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2590090      |
| N/S  | SP Level Sensing Cbl, Single Long, RS    | 90...180 lbs/hr (large cabinets)             | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2590091      |
| N/S  | SP Level Sensing Cbl, P Double Short, RS | 10...90 lbs/hr (P) (small + medium cabinets) | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2590092      |
| N/S  | SP Level Sensing Cbl, P Double Long, RS  | 90...180 lbs/hr (P) (large cabinets)         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2588483      |
| N/S  | SP PARTS BAG; RS SINGLE TANK             |                                              | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2594680      |
| N/S  | SP PARTS BAG; RS DOUBLE TANK             |                                              | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2594681      |
| 301  | SP Hose Spring Clamp Kit, RS             | 10...180 lb/hr                               | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584876      |

| Pos. | Article                                 | Completion               | Voltage   |           |           |           |           |           |           |           | Art.-/SAP-No. |
|------|-----------------------------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------------|
|      |                                         |                          | 208V / 1~ | 240V / 1~ | 480V / 1~ | 600V / 1~ | 208V / 3~ | 240V / 3~ | 480V / 3~ | 600V / 3~ |               |
| 302  | SP Fill Cup Kit, RS                     | 10...180 lb/hr           | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584889       |
| 303  | SP Tpl Valve 10-20lb 2 x 0.8 & 14L, RS  | 10...20 lb/hr (P + DWC)  | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584833       |
|      | SP Tpl Valve 30-180lb 2 x 1.2 & 14L, RS | 30...180 lb/hr (P + DWC) | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584835       |
| 304  | SP Dbl Fill Valve 10-20lb 1.2 & 14L, RS | 10...20 lb/hr (DWC)      | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584832       |
|      | SP Dbl Fill Valve 30-180lb 2 & 14L, RS  | 30...180 lb/hr (DWC)     | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584834       |
| 305  | SP Drain cup, RS                        | 10...180 lb/hr           | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584836       |
| 306  | SP Basic Level Sensing Chamber, RS      | 10...180 lb/hr           | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584839       |
|      | SP Process Level Sensing Chamber, RS    | 10...180 lb/hr (P)       | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584840       |
| 307  | SP Gasket Level Sensing Chamber, RS     | 10...180 lb/hr           | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584846       |
| 308  | SP Outside Level Sensor PCB, RS         | 10...180 lb/hr           | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584841       |
| 309  | SP Process Level Sensor PCB, RS         | 10...180 lb/hr           | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584842       |
| 310  | SP Cable Level Sensor PCB, RS           | 10...180 lb/hr           | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584843       |
| 311  | SP Drain Pump + mounts, RS              | 10...180 lb/hr           | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584887       |
| 312  | SP Level Control 10-20lb Hose Kit, RS   | 10...20 lb/hr            | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584877       |
|      | SP Level Control 30-180lb Hose Kit, RS  | 30...180 lb/hr           | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584878       |
| 313  | SP Triple Valve Hoses 10-20lb, RS       | 10...20 lb/hr            | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584896       |
|      | SP Triple Valve Hoses 30-180lb, RS      | 30...180 lb/hr           | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584897       |
| 314  | SP Double Valve Hoses 10-20lb, RS       | 10...20 lb/hr            | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584898       |
|      | SP Double Valve Hoses 30-180lb, RS      | 30...180 lb/hr           | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584899       |
| 315  | SP Drain Cooling Hose 0-20lb, RS        | 10...20 lb/hr            | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584892       |
|      | SP Drain Cooling Hose 30-180lb, RS      | 30...180 lb/hr           | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584893       |
| 316  | SP Fill Cup:Drain Cup Hose 10-20lb, RS  | 10...20 lb/hr            | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584900       |
|      | SP Fill Cup:Drain Cup Hose 30-180lb, RS | 30...180 lb/hr           | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584901       |
| 317  | SP Pump Hose Kit 10-20lb/hr, RS         | 10...20 lb/hr            | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584895       |
|      | SP Pump Hose Kit 30-180lb/hr, RS        | 30...180 lb/hr           | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584894       |
| 318  | SP Water Inlet Adapter 30-180lb, RS     | 30...180 lb/hr           | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584891       |
| 319  | SP Preformed Drain Hose, RS             | 10...180 lb/hr           | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 1         | 2584884       |













U.S.A.  
835 Commerce Park Drive  
Ogdensburg, New York 13669

CANADA  
2740 Fenton Road  
Ottawa, Ontario K1T 3T7

TEL: 1.866.667.8321  
FAX: 613.822.7964

EMAIL: [na.info@condair.com](mailto:na.info@condair.com)  
WEBSITE: [www.condair.com](http://www.condair.com)

