



Condair RS II

SPARE PARTS LIST

Subject to change!



Proprietary Notice

This document and the information disclosed herein are proprietary data of Condair Ltd. Neither this document nor the information contained herein shall be reproduced, used, or disclosed to others without the written authorization of Condair Ltd., except to the extent required for installation or maintenance of recipient's equipment.

Liability Notice

Condair Ltd. does not accept any liability for installations of humidity equipment installed by unqualified personnel or the use of parts/components/equipment that are not authorized or approved by Condair Ltd.


Copyright Notice

© Condair Ltd. All rights reserved.

The contents of this document are subject to change without notice.

Contents

Steam tank parts – Condair RS 10-20	3
Steam tank parts – Condair RS 30-180	4
Electrical and housing parts – Condair RS 10-20	8
Electrical and housing parts – Condair RS 30-180	9
Plumbing parts – Condair RS 10-20	11
Plumbing parts – Condair RS 30-180	12




Steam tank parts – Condair RS 10-20


Pos	Item	Housing Size		SMALL																		Item No.		
		Unit type (lb/hr)		10						15						20								
		Voltage		208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3	550-600V3	208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3	550-600V3					
101	SP Steam Outlet Hose	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584885	
102	SP Plumbing Element Plug 10 pol	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584849	
	SP Plumbing Element Plug 16 pol																						2584850	
	SP Plumbing Element Plug 24 pol																						2584851	
103	SP Thermostat	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584888	
104	SP Heating Element 2040 W								3														2584864	
	SP Heating Element 1290 W								3							3							2584865	
	SP Heating Element 2630 W		3					3							3							3	2584871	
	SP Heating Element 2240 W	3		2	2	3				3				3							3		2584872	
	SP Heating Element 2600 W									3		2	3	3			3				3		2584873	
	SP Heating Element 3470 W																3		2	3	3		2584874	
105	SP Heating element gasket kit 3 pcs.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584848	
106	Tanks without scale management																							
	SP Small Tank 35.0 Ω/3 elements, A	1				1				1				1								1	2584905	
	SP Small Tank 46.5 Ω/3 elements, H		1				1								1							1	2584912	
	SP Small Tank 35.0 Ω/2 elements, L			1																			2584916	
	SP Small Tank 60.0 Ω/3 elements, P							1								1							2584920	
	SP Small Tank 45.6 Ω/2 elements, U				1																		2584925	
	SP Small Tank 95.0 Ω/3 elements, W								1														2584931	
	SP Small Tank 24.0 Ω/3 elements, B									1			1	1			1			1			2584906	
	SP Small Tank 18.0 Ω/3 elements, C																1		1		1		2584907	
	SP Small Tank 18.0 Ω/2 elements, N																	1					2584918	
	106	Tanks with scale management																						
		SP Small Tank 35.0 Ω/3 elements, A-SC	1				1				1				1								1	2584935
SP Small Tank 46.5 Ω/3 elements, H-SC			1				1								1							1	2584942	
SP Small Tank 35.0 Ω/2 elements, L-SC				1																			2584946	
SP Small Tank 60.0 Ω/3 elements, P-SC								1								1							2584950	
SP Small Tank 46.5 Ω/2 elements, U-SC					1																		2584955	
SP Small Tank 95.0 Ω/3 elements, W-SC									1														2584957	
SP Small Tank 24.0 Ω/3 elements, B-SC										1			1	1			1			1			2584936	
SP Small Tank 24.0 Ω/2 elements, M-SC											1												2584947	
SP Small Tank 18.0 Ω/3 elements, C-SC																	1		1	1			2584937	
SP Small Tank 18.0 Ω/2 elements, N-SC																		1					2584948	
107		SP Tank Lid Gasket 10-20 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584845
108	SP Tank Lid Clamp 10-20 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584827	
109	SP Small Tank Strap, 10-20 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584821	
110	SP SC Tank Liners 10-20 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584829	
111	SP SC Tank Liner Retaining Ring	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584843	
112	SP Snap Ring for Tank Base	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584883	
113	SP Tank Base, SC 10-180 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584824	
	SP Tank Base 10- 180 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584826	
114	SP Tank Base Gasket Kit	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584847	
115	SP Scale Tank Connection Ring	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2599511	
116	SP SC Tank Snap Ring Sealing kit	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2599512	
117	SP SC Tank Drain Strainer	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584837	
118	SP Temp Indicator Scale Tank	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584886	
119	SP SC Tank Drain Valve Kit	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584838	
121	SP Tank Lid Plug			1	1						1						1						2584863	
122	SP Scale Tank and Connection Ring	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2599518	
123	SP Scale Tank Replacement	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2599513	
124	SP RS Boiling Tank Small	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2597302	

Steam tank parts – Condair RS 30-180

Pos		Item		Housing Size		MEDIUM												LARGE						Item No.				
				Unit type (lb/hr)		30				45				65				90		90		130			180			
				Voltage		208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3	550-600V3	208V3	220-240V3	440-480V3	550-600V3	208V3	220-240V3	440-480V3	550-600V3	208V3	220-240V3		440-480V3	550-600V3	440-480V3	550-600V3
101	SP Steam Outlet Hose			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2584885
102	SP Plumbing Element Plug 16 pol			1	1	1	1	1	1	1	1	1	1	1			1						2					2584850
	SP Plumbing Element Plug 24 pol												1		1	1		1	1	2	2	2	2		2	2	2	2584851
103	SP Thermostat			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584888
104	SP Heating Element 2000 W						6																					2584866
	SP Heating Element 3630 W					4				3								9								18		2584868
	SP Heating Element 3650 W					4				3					6		9						12		18			2584869
	SP Heating Element 3300 W			4	3					3		6			9				12	18								2584875
	SP Heating Element 2500 W										6			9					12	18								2584867
	SP Heating Element 2720 W											9	6			9									18			2584870
105	SP Heating element gasket kit 3 pcs.			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584848
106	Tanks without scale management																											
	SP Large Tank 16.0 Ω/4 elements, D			1																								2584908
	SP Large Tank 26.5 Ω/6 elements, E						1																					2584909
	SP Large Tank 16.0 Ω/3 elements, I			1				1																				2584913
	SP Large Tank 21.5 Ω/4 elements, O				1																							2584919
	SP Large Tank 21.5 Ω/3 elements, Q								1																			2584921
	SP Large Tank 33.7 Ω/4 elements, V					1																						2584926
	SP Large Tank 33.7 Ω/3 elements, X									1																		2584932
	SP Large Tank 16.0 Ω/6 elements, F										1								2									2584910
	SP Large Tank 21.2 Ω/6 elements, J										1									2								2584914
	SP Large Tank 45.0 Ω/9 elements, R											1				1									2			2584922
	SP Large Tank 45.0 Ω/6 elements, Y												1															2584933
	SP Large Tank 16.0 Ω/9 elements, G													1							2							2584911
	SP Large Tank 21.2 Ω/9 elements, K														1							2						2584915
	SP Large Tank 21.5 Ω/6 elements, S															1							2					2584923
	SP Large Tank 21.5 Ω/9 elements, T																1								2			2584924
	SP Large Tank 33.7 Ω/9 elements, Z																	1								2		2584934
106	Tanks with scale management																											
	SP Large Tank 16.0 Ω/4 elements, D-SC			1																								2584938
	SP Large Tank 36.5 Ω/6 elements, E-SC						1																					2584939
	SP Large Tank 16.0 Ω/3 elements, I-SC			1				1																				2584943
	SP Large Tank 21.5 Ω/4 elements, O-SC				1																							2584949
	SP Large Tank 21.5 Ω/3 elements, Q-SC								1																			2584951
	SP Large Tank 33.7 Ω/4 elements, V-SC					1																						2584956
	SP Large Tank 33.7 Ω/3 elements, X-SC									1																		2584958
	SP Large Tank 16.0 Ω/6 elements, F-SC										1								2									2584940
	SP Large Tank 21.2 Ω/6 elements, J-SC										1									2								2584944
	SP Large Tank 45.0 Ω/9 elements, R-SC											1				1									2			2584952
	SP Large Tank 45.0 Ω/6 elements, Y-SC												1															2584959
	SP Large Tank 16.0 Ω/9 elements, G-RS													1							2							2584941
	SP Large Tank 21.2 Ω/9 elements, K-SC														1							2						2584945
	SP Large Tank 21.5 Ω/6 elements, S-SC															1							2					2584953
	SP Large Tank 21.5 Ω/9 elements, T-SC																1								2			2584954
	SP Large Tank 33.7 Ω/9 elements, Z-SC																	1								2		2584960
107	SP Tank Lid Gasket 30-180 lb/hr			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584844
108	SP Tank Lid Clamp 30-180 lb/hr			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584828
109	SP Large Tank Strap, 30-180 lb/hr			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584822
110	SP SC Tank Liners 30-180 lb/hr			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584830
111	SP SC Tank Liner Retaining Ring			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584843
112	SP Snap Ring for Tank Base			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584883

[illegible]






Electrical and housing parts – Condair RS 10-20

Pos	Item	Housing Size		SMALL															Item No.		
		Unit type (lb/hr)		10					15					20							
		Voltage		208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3	550-600V3	208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3		550-600V3	
201	SP Steam Outlet Adapter			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584884
202	SP Heating Plug 1					1	1						1	1				1	1		2584857
	SP Heating Plug 2			1	1							1	1					1	1		2584858
203	SP 24V Power Switch			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584879
204	SP Door Lock 2 pcs.			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584902
205	SP Cable Strain Relief Plate			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2583106
206	SP Terminal Block, 2 pole, 95 Amp			1	1	1	1					1	1	1	1			1	1	1	2574153
	SP Terminal block 3 pole 95 Amp							1	1	1	1						1	1	1	1	2574154
207	SP Remote Operation and Fault Indication			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2611955
209	SP Transformer, 208/24 VAC, 150VA			1				1				1				1			1		2574166
	SP Transformer, 240/24 VAC, 150VA				1				1				1					1			2574167
	SP Transformer, 480/24 VAC, 150VA					1				1				1					1		2574168
	SP Transformer, 600/24 VAC, 150VA						1				1					1				1	2574169
210	SP IC2.0 Assembly (+SIM)			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2612588
	SP IC2.0 Assembly			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2612589
	SP IC2.0 Assembly, RS OC (+SIM)			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2612590
	SP IC2.0 Assembly, RS OC			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2612591
211	SP Driver Board			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2579227
	SP IC Assembly, RS Outdoor			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2603874
212	SP Contactor 30 Amp 1P			1	1	1	1					1	1	1	1				1	1	2574148
	SP Contactor 30 Amp 3P							1	1	1	1							1	1	1	2574149
	SP Contactor 40 Amp 3P															1					2574150
	SP Contactor 50 Amp 3P															1					2574151
213	SP DIN Rail 3 Pole Terminal							3	3					3	3				3	3	2584855
	SP DIN Rail 2 Pole Terminal			4	4	3	3			3	3	4	4	3	4				3	3	2584856
214	SP DIN Rail End Brackets			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584852
215	SP PCB Breakout Board			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584890
216	SP Replacement 50 A SSR			1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2584903
217	SP Front Door S			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2611957
220	SP Side Panel Left S			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2611962
221	SP Side Panel Right S			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2611961
222	SP GFI Board			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2612587
N/S	SP Fuse 1.0 A for PCB (Qty 5)			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2598317
N/S	SP Fuse 4 A 5 X 20 slow blow (Qty 5) - for PCB			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2597441
N/S	SP Parts Bag RS Single Tank			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2594680

Electrical and housing parts – Condair RS 30-180

Pos Item		Housing Size		MEDIUM																LARGE								Item No.	
		Unit type (lb/hr)	30								45				65				90		90		130				180		
		Voltage	208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3	550-600V3	208V3	220-240V3	440-480V3	550-600V3	208V3	220-240V3	440-480V3	550-600V3	208V3	220-240V3	208V3	220-240V3	440-480V3	550-600V3	440-480V3	550-600V3			
201	SP Steam Outlet Adapter	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584884	
202	SP Heating Plug 3										1	1			1	1							1	1				2584859	
	SP Heating Plug 4					1	1			1	1					1	1		1	1								2584860	
	SP Heating Plug 5										1	1			1	1		1	1				1	1	1	1	1	2584861	
	SP Heating Plug 6													1	1						1	1						2584862	
203	SP 24V Power Switch	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584879	
204	SP Door Lock 2 pcs.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584902	
205	SP Cable Strain Relief Plate	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2583106	
206	SP Terminal Block, 2 pole, 95 Amp	1	1	1	1																							2574153	
	SP Terminal block 3 pole 95 Amp					1	1	1	1	1	1	1	1	1	1	1	1	1	1									2574154	
	SP Terminal block 3 pole 310 AMPU																		1	1	1	1	1	1	1	1	1	2574156	
207	SP Remote Operation and Fault Indication	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2611955	
208	SP Accessory Board	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2589890	
209	SP Transformer, 208/24 VAC, 150VA	1				1				1				1					2		2							2574166	
	SP Transformer, 240/24 VAC, 150VA		1				1				1			1					2		2							2574167	
	SP Transformer, 480/24 VAC, 150VA			1				1				1			1		1						2		2			2574168	
	SP Transformer, 600/24 VAC, 150VA				1				1				1				1							2		2		2574169	
210	SP IC2.0 Assembly (+SIM)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2612588	
	SP IC2.0 Assembly	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2612589	
	SP IC2.0 Assembly, RS OC (+SIM)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2612590	
	SP IC2.0 Assembly, RS OC	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2612591	
211	SP Driver Board	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2579227	
	SP Driver Board, RS (OC)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2603874	
212	SP Contactor 30 Amp 1P			1	1																							2574148	
	SP Contactor 30 Amp 3P							1	1	2		1	1			1								2				2574149	
	SP Contactor 40 Amp 3P	2	2			1	1				1				1			1	4				2			2		2574150	
	SP Contactor 50 Amp 3P													2	2		1		2	4	4				2			2574151	
213	SP DIN Rail 2 & 3 Pole Terminal					3					3			6	6				12	6	12	12						2584853	
	SP DIN Rail 2 Pole Terminal																	6							12			2584854	
	SP DIN Rail 3 Pole Terminal	4	2	2	2		3			6		3	3	3	3								6					2584855	
	SP DIN Rail 2 Pole Terminal		2	2	2			3	3			6				6		6						12		12		2584856	
214	SP DIN Rail End Brackets	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584852	
215	SP PCB Breakout Board	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584890	
216	SP Replacement 50 A SSR	2	2	2	2	2	2	2	2	4		2	2		4	2	2	2	2	4			4	4	4	4	4	2584903	
	SP Replacement 75 A SSR										2			4					2	4								2584904	
217	SP Front Door M	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1											2611958	
218	SP Front Door L Water Side																		1	1	1	1	1	1	1	1	1	2611959	
219	SP Front Door L electronic side																		1	1	1	1	1	1	1	1	1	2611960	
220	SP Side Panel Left M/L	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2611964	
221	SP Side Panel Right M/L	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2611963	
222	SP GFI Board			1	1																							2612587	
N/S	SP Fuse 1.0 A for PCB (Qty 5)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2598317	
N/S	SP Fuse 4 A 5 X 20 slow blow (Qty 5)- for PCB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2597441	
N/S	SP Parts Bag RS Single Tank	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1										2594680	
N/S	SP Parts Bag RS Double Tank																		1	1	1	1	1	1	1	1	1	2594681	



Plumbing parts – Condair RS 10-20

Pos Item		Housing Size		SMALL																								Item No.
		Unit type (lb/hr)		10								15								20								
				208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3	550-600V3	208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3	550-600V3	208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3	550-600V3	
		Voltage																										
301	SP Hose Spring Clamp Kit	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584876	
302	SP Fill Cup Kit	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584889	
303	SP Triple Valve 10-20 lb/hr, 2 x 0.8 & 14 L	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584833	
324	SP Double Fill Valve 0.8 L	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2601393	
305	SP Drain cup	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584836	
306	SP Process Level Sensing Chamber (precision only)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584840	
307	SP Gasket Level Sensing Chamber	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584846	
308	SP Outside Level Sensor PCB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584841	
309	SP Process Level Sensor PCB (precision only)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584842	
310	SP Level Sensing Cable, P Double Short	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2590092	
311	SP Drain Pump + mounts	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584887	
312	SP Level Control Hose Kit 10-20 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584877	
313	SP Triple Valve Hoses 10-20 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584896	
315	SP Drain Cooling Hose 10-20 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584892	
316	SP Fill Cup:Drain Cup Hose 10-20 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584900	
317	SP Pump Hose Kit 10-20 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584895	
318	SP Water Inlet Adapter 30-180 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584891	
319	SP Preformed Drain Hose	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2588484	
322	SP Drain water cooling valve - (RO option only)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2600342	
323	SP Manual Drain hose with end cap	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2598461	
N/S	SP TX for BPP Option (listed below)																											
	SP Trans. 208-416 V/120 V, 150VA, 50/60_CE	1				1				1				1				1				1					2597312	
	SP Trans. 220-240 V/120 V, 150 VA, 50/60_CE EL		1				1				1				1				1				1				2598823	
	SP Trans. 480-600 V/120 V, 150 VA, 50/60_CE EL			1	1			1	1			1	1			1	1			1	1			1	1		2598826	
	SP Fuse Block, EL RS OC	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2585114	
	SP Fuse, 1 Amp 600 V Slow Blow, BP	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2584386	

Plumbing parts – Condair RS 30-180

Pos		Item		Housing Size		MEDIUM																LARGE								Item No.			
				Unit type (lb/hr)		30								45				65				90		90		130					180		
				Voltage		208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3	550-600V3	208V3	220-240V3	440-480V3	550-600V3	208V3	220-240V3	440-480V3	550-600V3	440-480V3	550-600V3	208V3	220-240V3	208V3	220-240V3	440-480V3	550-600V3		440-480V3	550-600V3	
301	SP Hose Spring Clamp Kit	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584876		
302	SP Fill Cup Kit	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2584889	
303	SP Triple Valve 30-180 lb/hr, 2 x 1.2 & 14 L	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2584835	
324	SP Double Fill Valve Double 1.2 L	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2601394	
305	SP Drain cup	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2584836	
306	SP Process Level Sensing Chamber (precision)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2584840	
307	SP Gasket Level Sensing Chamber	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2584846	
308	SP Outside Level Sensor PCB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2584841	
309	SP Process Level Sensor PCB (precision only)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2584842	
310	SP Level Sensing Cable, P Double Short	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2590092	
	SP Level Sensing Cable, P Double Long																				1	1	1	1	1	1	1	1	1	1	1	2588483	
311	SP Drain Pump + mounts	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2584887	
312	SP Level Control Hose Kit 30-180 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2584878	
313	SP Triple Valve Hoses 30-180 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584897	
315	SP Drain Cooling Hose 30-180 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2584893	
316	SP Fill Cup:Drain Cup Hose 30-180 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2584901	
317	SP Pump Hose Kit 30-180 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2584894	
318	SP Water Inlet Adapter 10-180 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2584891	
319	SP Preformed Drain Hose	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2588484	
322	SP Drain water cooling valve - (RO option only)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2600342	
323	SP Manual Drain hose with end cap	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2598460	
N/S	SP TX for BPP Option (listed below)																																
	SP Trans. 208-416 V/120 V, 150VA, 50/60_CE	1				1				1				1						2		2										2597312	
	SP Trans. 220-240 V/120 V, 150 VA, 50/60_CE EL		1				1				1				1						2		2									2598823	
	SP Trans. 480-600 V/120 V, 150 VA, 50/60_CE EL			1	1			1	1			1	1			1	1	1	1	1					2	2	2	2	2	2	2	2	2598826
	SP Fuse Block, EL RS OC	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2585114
	SP Fuse, 1 Amp 600 V Slow Blow, BP	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	4	4	4	4	4	4	4	4	4	4	4	4	2584386

Warranty

Condair Inc. or Condair Ltd. (depending on the entity that supplied the product, and hereinafter collectively referred to as CONDAIR) warrant for a period of two years after installation or 30 months from the manufacturer's ship date, whichever date is earlier, that CONDAIR's manufactured and assembled products, not otherwise expressly warranted, are free from defects in materials and workmanship. Notwithstanding the foregoing, the products listed below have an alternate warranty period:

- GS/GSTC Series heat exchanger(s) are warranted to be free from defects in materials and workmanship for a period of 3 years from installation or 40 months from the manufacturer's ship date, whichever is earlier.
- SAM-e Short Absorption Manifolds, except for the coupling seals, are warranted to be free from defects in materials and workmanship for a total period of 10 years from the manufacturer's ship date.
- Humilife RH humidifiers are warranted to be free from defects in materials and workmanship for a period of 5 years from the manufacturer's ship date. CONDAIR may, at its discretion, replace individual components or Humilife RH units as a whole.
- Spare Parts used for repairs are warranted for the balance of the term of the warranty on the original humidifier or 90 days, whichever is longer.
- No warranty is made against corrosion, deterioration, or suitability of substituted materials used as a result of compliance with government regulations.

CONDAIR's obligations and liabilities under this warranty are limited to furnishing replacement parts to the customer, F.O.B. CONDAIR's factory. The replacement parts are warranted for the balance of the term of the warranty on the original humidifier or 90 days, whichever is longer. Procedure:

1. Customer Requests Warranty as per instructions on the CONDAIR Warranty Form.
2. CONDAIR reviews the warranty claim and will respond in one of two ways:
 - a. Warranty Accepted – Replacement Part or credit granted.
 - b. Warranty Declined – Response with justification will be provided to the customer.
3. In some cases, CONDAIR may request the part to be returned, freight prepaid by the customer, as part of the warranty acceptance or warranty determination process. Some reasons include:
 - a. Part must be analyzed to determine the root cause of failure.
 - b. Part must be returned to the supplier for claim/investigation.

When parts are requested to be returned, replacement parts will be sent by CONDAIR to the customer against an invoice from CONDAIR paid by the customer. The cost of the replacement parts will be reimbursed to the customer with a credit note after the parts are received and analyzed by CONDAIR, if the warranty is accepted.

The warranties set forth herein are in lieu of all other warranties expressed or implied by law. No liability whatsoever shall be attached to CONDAIR until said products have been paid for in full and then said liability shall be limited to the original purchase price for the product. Any further warranty, with the exception of a purchased extended warranty described below, must be in writing, and signed by an officer of CONDAIR.

CONDAIR makes no warranty and assumes no liability unless the equipment is installed in strict accordance with the installation manual in effect at the date of purchase, and by properly qualified and licensed professionals capable of installing such equipment.

CONDAIR makes no warranty and assumes no liability whatsoever for consequential damage or damage resulting directly from misapplication, incorrect sizing, or lack of proper maintenance of the equipment.

CONDAIR makes no warranty and assumes no liability whatsoever for damage to the products, humidifier, supply lines, drain lines, steam distribution systems, or the building as a whole caused by freezing.

CONDAIR reserves the right to change the design, specifications, and performance criteria of its products without notice or obligation.

Extended Warranty

Extended warranties are available to purchase under the conditions listed above. Extended warranties must be purchased at the time of the original equipment order.



www.condairparts.com

Buy authentic Condair
parts factory direct.

Would you recommend Condair?
Take our two question survey.



U.S.A.

1021 6th Street
Racine, WI 53403

CANADA

2740 Fenton Road
Ottawa, Ontario K1T 3T7

TEL: 1.866.667.8321

EMAIL: na.info@condair.com

WEBSITE: www.condair.com

