



Condair RS II

SPARE PARTS LIST

Subject to change!



Proprietary Notice

This document and the information disclosed herein are proprietary data of Condair Ltd. Neither this document nor the information contained herein shall be reproduced, used, or disclosed to others without the written authorization of Condair Ltd., except to the extent required for installation or maintenance of recipient's equipment.

Liability Notice

Condair Ltd. does not accept any liability for installations of humidity equipment installed by unqualified personnel or the use of parts/components/equipment that are not authorized or approved by Condair Ltd.


Copyright Notice

© Condair Ltd. All rights reserved.

The contents of this document are subject to change without notice.

Contents

Steam tank parts – Condair RS 10-20	3
Steam tank parts – Condair RS 30-180	4
Electrical and housing parts – Condair RS 10-20	8
Electrical and housing parts – Condair RS 30-180	9
Plumbing parts – Condair RS 10-20	11
Plumbing parts – Condair RS 30-180	12




Steam tank parts – Condair RS 10-20


Pos	Item	Housing Size		SMALL															Item No.				
		Unit type (lb/hr)		10					15					20									
		Voltage		208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3	550-600V3	208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3		550-600V3			
101	SP Steam Outlet Hose	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584885
102	SP Plumbing Element Plug 10 pol	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584849
	SP Plumbing Element Plug 16 pol																						2584850
	SP Plumbing Element Plug 24 pol																						2584851
103	SP Thermostat	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584888
104	SP Heating Element 2040 W									3													2584864
	SP Heating Element 1290 W									3						3							2584865
	SP Heating Element 2630 W		3					3							3							3	2584871
	SP Heating Element 2240 W	3		2	2	3				3				3							3		2584872
	SP Heating Element 2600 W									3		2	3	3			3				3		2584873
	SP Heating Element 3470 W															3		2	3	3			2584874
105	SP Heating element gasket kit 3 pcs.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584848
106	Tanks without scale management																						
	SP Small Tank 35.0 Ω/3 elements, A	1				1				1				1							1		2584905
	SP Small Tank 46.5 Ω/3 elements, H		1					1							1							1	2584912
	SP Small Tank 35.0 Ω/2 elements, L			1																			2584916
	SP Small Tank 60.0 Ω/3 elements, P								1							1							2584920
	SP Small Tank 45.6 Ω/2 elements, U				1																		2584925
	SP Small Tank 95.0 Ω/3 elements, W								1														2584931
	SP Small Tank 24.0 Ω/3 elements, B									1			1	1			1			1			2584906
	SP Small Tank 18.0 Ω/3 elements, C															1			1	1			2584907
	SP Small Tank 18.0 Ω/2 elements, N																1						2584918
106	Tanks with scale management																						
	SP Small Tank 35.0 Ω/3 elements, A-SC	1				1				1				1							1		2584935
	SP Small Tank 46.5 Ω/3 elements, H-SC		1					1							1							1	2584942
	SP Small Tank 35.0 Ω/2 elements, L-SC			1																			2584946
	SP Small Tank 60.0 Ω/3 elements, P-SC								1							1							2584950
	SP Small Tank 46.5 Ω/2 elements, U-SC					1																	2584955
	SP Small Tank 95.0 Ω/3 elements, W-SC								1														2584957
	SP Small Tank 24.0 Ω/3 elements, B-SC									1			1	1			1			1			2584936
	SP Small Tank 24.0 Ω/2 elements, M-SC										1												2584947
	SP Small Tank 18.0 Ω/3 elements, C-SC																1			1	1		2584937
	SP Small Tank 18.0 Ω/2 elements, N-SC																	1					2584948
107	SP Tank Lid Gasket 10-20 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584845
108	SP Tank Lid Clamp 10-20 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584827
109	SP Small Tank Strap, 10-20 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584821
110	SP SC Tank Liners 10-20 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584829
111	SP SC Tank Liner Retaining Ring	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584843
112	SP Snap Ring for Tank Base	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584883
113	SP Tank Base, SC 10-180 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584824
	SP Tank Base 10- 180 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584826
114	SP Tank Base Gasket Kit	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584847
115	SP Scale Tank Connection Ring	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2599511
116	SP SC Tank Snap Ring Sealing kit	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2599512
117	SP SC Tank Drain Strainer	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584837
118	SP Temp Indicator Scale Tank	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584886
119	SP SC Tank Drain Valve Kit	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584838
121	SP Tank Lid Plug			1	1						1							1					2584863
122	SP Scale Tank and Connection Ring	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2599518
123	SP Scale Tank Replacement	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2599513
124	SP RS Boiling Tank Small	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2597302

Steam tank parts – Condair RS 30-180

Pos Item		Housing Size		MEDIUM												LARGE						Item No.					
		Unit type (lb/hr)	30						45				65		90	90	130		180								
		Voltage	208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3	550-600V3	208V3	220-240V3	440-480V3	550-600V3	208V3	220-240V3	440-480V3	550-600V3	208V3	220-240V3	440-480V3		550-600V3				
101	SP Steam Outlet Hose		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2584885	
102	SP Plumbing Element Plug 16 pol		1	1	1	1	1	1	1	1	1	1	1		1							2				2584850	
	SP Plumbing Element Plug 24 pol											1	1	1	1	1	1	1	2	2	2	2	2	2	2	2584851	
103	SP Thermostat		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2584888	
104	SP Heating Element 2000 W						6																			2584866	
	SP Heating Element 3630 W					4				3								9							18	2584868	
	SP Heating Element 3650 W				4					3					6		9					12		18		2584869	
	SP Heating Element 3300 W		4	3					3		6			9					12		18					2584875	
	SP Heating Element 2500 W										6			9					12		18					2584867	
	SP Heating Element 2720 W											9	6		9							18				2584870	
105	SP Heating element gasket kit 3 pcs.		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584848	
106	Tanks without scale management																										
	SP Large Tank 16.0 Ω/4 elements, D		1																							2584908	
	SP Large Tank 26.5 Ω/6 elements, E						1																			2584909	
	SP Large Tank 16.0 Ω/3 elements, I		1					1																		2584913	
	SP Large Tank 21.5 Ω/4 elements, O				1																					2584919	
	SP Large Tank 21.5 Ω/3 elements, Q								1																	2584921	
	SP Large Tank 33.7 Ω/4 elements, V					1																				2584926	
	SP Large Tank 33.7 Ω/3 elements, X									1																2584932	
	SP Large Tank 16.0 Ω/6 elements, F										1							2								2584910	
	SP Large Tank 21.2 Ω/6 elements, J										1								2							2584914	
	SP Large Tank 45.0 Ω/9 elements, R											1				1							2			2584922	
	SP Large Tank 45.0 Ω/6 elements, Y												1													2584933	
	SP Large Tank 16.0 Ω/9 elements, G													1						2						2584911	
	SP Large Tank 21.2 Ω/9 elements, K														1						2					2584915	
	SP Large Tank 21.5 Ω/6 elements, S														1							2				2584923	
	SP Large Tank 21.5 Ω/9 elements, T																1							2		2584924	
	SP Large Tank 33.7 Ω/9 elements, Z																	1						2		2584934	
106	Tanks with scale management																										
	SP Large Tank 16.0 Ω/4 elements, D-SC		1																							2584938	
	SP Large Tank 36.5 Ω/6 elements, E-SC						1																			2584939	
	SP Large Tank 16.0 Ω/3 elements, I-SC		1					1																		2584943	
	SP Large Tank 21.5 Ω/4 elements, O-SC				1																					2584949	
	SP Large Tank 21.5 Ω/3 elements, Q-SC								1																	2584951	
	SP Large Tank 33.7 Ω/4 elements, V-SC					1																				2584956	
	SP Large Tank 33.7 Ω/3 elements, X-SC									1																2584958	
	SP Large Tank 16.0 Ω/6 elements, F-SC										1							2								2584940	
	SP Large Tank 21.2 Ω/6 elements, J-SC											1							2							2584944	
	SP Large Tank 45.0 Ω/9 elements, R-SC												1				1						2			2584952	
	SP Large Tank 45.0 Ω/6 elements, Y-SC													1												2584959	
	SP Large Tank 16.0 Ω/9 elements, G-RS														1						2					2584941	
	SP Large Tank 21.2 Ω/9 elements, K-SC														1							2				2584945	
	SP Large Tank 21.5 Ω/6 elements, S-SC															1							2			2584953	
	SP Large Tank 21.5 Ω/9 elements, T-SC																	1						2		2584954	
	SP Large Tank 33.7 Ω/9 elements, Z-SC																		1					2		2584960	
107	SP Tank Lid Gasket 30-180 lb/hr		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2584844
108	SP Tank Lid Clamp 30-180 lb/hr		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2584828
109	SP Large Tank Strap, 30-180 lb/hr		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2584822
110	SP SC Tank Liners 30-180 lb/hr		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2584830
111	SP SC Tank Liner Retaining Ring		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2584843
112	SP Snap Ring for Tank Base		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2584883

[illegible]






Electrical and housing parts – Condair RS 10-20

Pos Item		Housing Size		SMALL																Item No.		
		Unit type (lb/hr)		10				15				20										
		Voltage		208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3	550-600V3	208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3	550-600V3			
201	SP Steam Outlet Adapter	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584884	
202	SP Heating Plug 1			1	1							1	1					1	1		2584857	
	SP Heating Plug 2	1	1							1	1						1	1			2584858	
203	SP 24V Power Switch	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584879	
204	SP Door Lock 2 pcs.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584902	
205	SP Cable Strain Relief Plate	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2583106	
206	SP Terminal Block, 2 pole, 95 Amp	1	1	1	1					1	1	1	1				1	1	1		2574153	
	SP Terminal block 3 pole 95 Amp					1	1	1	1					1	1	1	1				2574154	
207	SP Remote Operation and Fault Indication	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2611955	
209	SP Transformer, 208/24 VAC, 150VA	1				1				1				1				1			2574166	
	SP Transformer, 240/24 VAC, 150VA		1				1				1				1				1		2574167	
	SP Transformer, 480/24 VAC, 150VA			1				1				1				1				1	2574168	
	SP Transformer, 600/24 VAC, 150VA				1				1				1				1				2574169	
210	SP IC2.0 Assembly (+SIM)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2612588	
	SP IC2.0 Assembly	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2612589	
	SP IC2.0 Assembly, RS OC (+SIM)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2612590	
	SP IC2.0 Assembly, RS OC	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2612591	
211	SP Driver Board	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2579227	
	SP IC Assembly, RS Outdoor	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2603874	
212	SP Contactor 30 Amp 1P	1	1	1	1					1	1	1	1					1	1		2574148	
	SP Contactor 30 Amp 3P					1	1	1	1					1	1	1	1			1	2574149	
	SP Contactor 40 Amp 3P																1				2574150	
	SP Contactor 50 Amp 3P															1					2574151	
213	SP DIN Rail 3 Pole Terminal					3	3						3	3					3	3	2584855	
	SP DIN Rail 2 Pole Terminal	4	4	3	3			3	3	4	4	3	4			3	3	4	4		3	2584856
214	SP DIN Rail End Brackets	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584852	
215	SP PCB Breakout Board	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584890	
216	SP Replacement 50 A SSR	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2584903	
217	SP Front Door S	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2611957	
220	SP Side Panel Left S	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2611962	
221	SP Side Panel Right S	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2611961	
222	SP GFI Board	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2612587	
N/S	SP Fuse 1.0 A for PCB (Qty 5)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2598317	
N/S	SP Fuse 4 A 5 X 20 slow blow (Qty 5) - for PCB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2597441	
N/S	SP Parts Bag RS Single Tank	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2594680	

Electrical and housing parts – Condair RS 30-180

Pos		Item		Housing Size		MEDIUM																LARGE								Item No.		
				Unit type (lb/hr)		30								45				65				90		90		130					180	
				Voltage		208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3	550-600V3	208V3	220-240V3	440-480V3	550-600V3	208V3	220-240V3	440-480V3	550-600V3	208V3	220-240V3	208V3	220-240V3	440-480V3	550-600V3	440-480V3	550-600V3			
201	SP Steam Outlet Adapter	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2584884			
202	SP Heating Plug 3											1	1			1	1								1	1			2584859			
	SP Heating Plug 4						1	1			1	1						1	1		1	1							2584860			
	SP Heating Plug 5											1	1			1	1			1	1				1	1	1	1	2584861			
	SP Heating Plug 6														1	1							1	1					2584862			
203	SP 24V Power Switch	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584879			
204	SP Door Lock 2 pcs.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2584902			
205	SP Cable Strain Relief Plate	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2583106			
206	SP Terminal Block, 2 pole, 95 Amp	1	1	1	1																								2574153			
	SP Terminal block 3 pole 95 Amp						1	1	1	1	1	1	1	1	1	1	1	1	1	1									2574154			
	SP Terminal block 3 pole 310 AMPU																				1	1	1	1	1	1	1	1	2574156			
207	SP Remote Operation and Fault Indication	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2611955			
208	SP Accessory Board	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2589890			
209	SP Transformer, 208/24 VAC, 150VA	1					1				1				1					2		2							2574166			
	SP Transformer, 240/24 VAC, 150VA		1					1				1			1						2		2						2574167			
	SP Transformer, 480/24 VAC, 150VA			1					1				1			1		1						2		2			2574168			
	SP Transformer, 600/24 VAC, 150VA				1				1				1			1		1							2		2		2574169			
210	SP IC2.0 Assembly (+SIM)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2612588			
	SP IC2.0 Assembly	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2612589			
	SP IC2.0 Assembly, RS OC (+SIM)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2612590			
	SP IC2.0 Assembly, RS OC	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2612591			
211	SP Driver Board	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2579227			
	SP Driver Board, RS (OC)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2603874			
212	SP Contactor 30 Amp 1P			1	1																								2574148			
	SP Contactor 30 Amp 3P								1	1	2		1	1			1								2				2574149			
	SP Contactor 40 Amp 3P	2	2			1	1				1					1			1	4			2				2		2574150			
	SP Contactor 50 Amp 3P													2	2		1			2	4	4				2			2574151			
213	SP DIN Rail 2 & 3 Pole Terminal						3				3			6	6				12	6	12	12							2584853			
	SP DIN Rail 2 Pole Terminal																	6								12			2584854			
	SP DIN Rail 3 Pole Terminal	4	2	2	2			3			6		3	3	3	3								6					2584855			
	SP DIN Rail 2 Pole Terminal		2	2	2				3	3			6				6		6						12		12		2584856			
214	SP DIN Rail End Brackets	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584852			
215	SP PCB Breakout Board	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584890			
216	SP Replacement 50 A SSR	2	2	2	2	2	2	2	2	4		2	2		4	2	2	2	2	4				4	4	4	4	4	2584903			
	SP Replacement 75 A SSR										2			4						2	4								2584904			
217	SP Front Door M	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1												2611958			
218	SP Front Door L Water Side																		1	1	1	1	1	1	1	1	1	1	2611959			
219	SP Front Door L electronic side																		1	1	1	1	1	1	1	1	1	1	2611960			
220	SP Side Panel Left M/L	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2611964			
221	SP Side Panel Right M/L	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2611963			
222	SP GFI Board			1	1																								2612587			
N/S	SP Fuse 1.0 A for PCB (Qty 5)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2598317			
N/S	SP Fuse 4 A 5 X 20 slow blow (Qty 5)- for PCB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2597441			
N/S	SP Parts Bag RS Single Tank	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1											2594680			
N/S	SP Parts Bag RS Double Tank																			1	1	1	1	1	1	1	1	1	2594681			



Plumbing parts – Condair RS 10-20

Pos Item		Housing Size		SMALL																								Item No.
		Unit type (lb/hr)		10								15								20								
				208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3	550-600V3	208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3	550-600V3	208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3	550-600V3	
Voltage																												
301	SP Hose Spring Clamp Kit	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584876	
302	SP Fill Cup Kit	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584889	
303	SP Triple Valve 10-20 lb/hr, 2 x 0.8 & 14 L	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584833	
324	SP Double Fill Valve 0.8 L	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2601393	
305	SP Drain cup	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584836	
306	SP Process Level Sensing Chamber (precision only)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584840	
307	SP Gasket Level Sensing Chamber	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584846	
308	SP Outside Level Sensor PCB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584841	
309	SP Process Level Sensor PCB (precision only)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584842	
310	SP Level Sensing Cable, P Double Short	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2590092	
311	SP Drain Pump + mounts	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584887	
312	SP Level Control Hose Kit 10-20 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584877	
313	SP Triple Valve Hoses 10-20 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584896	
315	SP Drain Cooling Hose 10-20 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584892	
316	SP Fill Cup:Drain Cup Hose 10-20 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584900	
317	SP Pump Hose Kit 10-20 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584895	
318	SP Water Inlet Adapter 30-180 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584891	
319	SP Preformed Drain Hose	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2588484	
322	SP Drain water cooling valve - (RO option only)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2600342	
323	SP Manual Drain hose with end cap	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2598461	
N/S	SP TX for BPP Option (listed below)																											
	SP Trans. 208-416 V/120 V, 150VA, 50/60_CE	1				1				1				1				1									2597312	
	SP Trans. 220-240 V/120 V, 150 VA, 50/60_CE EL		1				1				1				1				1					1			2598823	
	SP Trans. 480-600 V/120 V, 150 VA, 50/60_CE EL			1	1			1	1			1	1			1	1			1	1				1	1	2598826	
	SP Fuse Block, EL RS OC	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2585114	
	SP Fuse, 1 Amp 600 V Slow Blow, BP	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2584386	

Plumbing parts – Condair RS 30-180

Pos Item		Housing Size		MEDIUM												LARGE								Item No.		
		Unit type (lb/hr)		30				45				65				90		90		130					180	
		Voltage		208V1	220-240V1	440-480V1	550-600V1	208V3	220-240V3	440-480V3	550-600V3	208V3	220-240V3	440-480V3	550-600V3	208V3	220-240V3	440-480V3	550-600V3	208V3	220-240V3	440-480V3	550-600V3		440-480V3	550-600V3
301	SP Hose Spring Clamp Kit	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584876	
302	SP Fill Cup Kit	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584889
303	SP Triple Valve 30-180 lb/hr, 2 x 1.2 & 14 L	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584835
324	SP Double Fill Valve Double 1.2 L	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2601394
305	SP Drain cup	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584836
306	SP Process Level Sensing Chamber (precision)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584840
307	SP Gasket Level Sensing Chamber	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584846
308	SP Outside Level Sensor PCB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584841
309	SP Process Level Sensor PCB (precision only)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584842
310	SP Level Sensing Cable, P Double Short	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2590092
	SP Level Sensing Cable, P Double Long																1	1	1	1	1	1	1	1	1	2588483
311	SP Drain Pump + mounts	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584887
312	SP Level Control Hose Kit 30-180 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584878
313	SP Triple Valve Hoses 30-180 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2584897
315	SP Drain Cooling Hose 30-180 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584893
316	SP Fill Cup:Drain Cup Hose 30-180 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584901
317	SP Pump Hose Kit 30-180 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584894
318	SP Water Inlet Adapter 10-180 lb/hr	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2584891
319	SP Preformed Drain Hose	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2588484
322	SP Drain water cooling valve - (RO option only)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2600342
323	SP Manual Drain hose with end cap	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2598460
N/S	SP TX for BPP Option (listed below)																									
	SP Trans. 208-416 V/120 V, 150VA, 50/60_CE	1				1				1			1				2		2							2597312
	SP Trans. 220-240 V/120 V, 150 VA, 50/60_CE EL		1					1				1			1			2		2						2598823
	SP Trans. 480-600 V/120 V, 150 VA, 50/60_CE EL			1	1			1	1			1	1		1	1				2	2	2	2	2	2	2598826
	SP Fuse Block, EL RS OC	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2585114
	SP Fuse, 1 Amp 600 V Slow Blow, BP	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	4	4	4	4	4	4	4	4	4	2584386

Warranty

Condaire Inc. or Condaire Ltd. (depending on the entity that supplied the product, and hereinafter collectively referred to as CONDAIRE) warrant for a period of two years after installation or 30 months from the manufacturer's ship date, whichever date is earlier, that CONDAIRE's manufactured and assembled products, not otherwise expressly warranted, are free from defects in materials and workmanship. Notwithstanding the foregoing, the products listed below have an alternate warranty period:

- GS/GSTC Series heat exchanger(s) are warranted to be free from defects in materials and workmanship for a period of 3 years from installation or 40 months from the manufacturer's ship date, whichever is earlier.
- SAM-e Short Absorption Manifolds, except for the coupling seals, are warranted to be free from defects in materials and workmanship for a total period of 10 years from the manufacturer's ship date.
- Humilife RH humidifiers are warranted to be free from defects in materials and workmanship for a period of 5 years from the manufacturer's ship date. CONDAIRE may, at its discretion, replace individual components or Humilife RH units as a whole.
- Spare Parts used for repairs are warranted for the balance of the term of the warranty on the original humidifier or 90 days, whichever is longer.
- No warranty is made against corrosion, deterioration, or suitability of substituted materials used as a result of compliance with government regulations.

CONDAIRE's obligations and liabilities under this warranty are limited to furnishing replacement parts to the customer, F.O.B. CONDAIRE's factory. The replacement parts are warranted for the balance of the term of the warranty on the original humidifier or 90 days, whichever is longer. Procedure:

1. Customer Requests Warranty as per instructions on the CONDAIRE Warranty Form.
2. CONDAIRE reviews the warranty claim and will respond in one of two ways:
 - a. Warranty Accepted – Replacement Part or credit granted.
 - b. Warranty Declined – Response with justification will be provided to the customer.
3. In some cases, CONDAIRE may request the part to be returned, freight prepaid by the customer, as part of the warranty acceptance or warranty determination process. Some reasons include:
 - a. Part must be analyzed to determine the root cause of failure.
 - b. Part must be returned to the supplier for claim/investigation.

When parts are requested to be returned, replacement parts will be sent by CONDAIRE to the customer against an invoice from CONDAIRE paid by the customer. The cost of the replacement parts will be reimbursed to the customer with a credit note after the parts are received and analyzed by CONDAIRE, if the warranty is accepted.

The warranties set forth herein are in lieu of all other warranties expressed or implied by law. No liability whatsoever shall be attached to CONDAIRE until said products have been paid for in full and then said liability shall be limited to the original purchase price for the product. Any further warranty, with the exception of a purchased extended warranty described below, must be in writing, and signed by an officer of CONDAIRE.

CONDAIRE makes no warranty and assumes no liability unless the equipment is installed in strict accordance with the installation manual in effect at the date of purchase, and by properly qualified and licensed professionals capable of installing such equipment.

CONDAIRE makes no warranty and assumes no liability whatsoever for consequential damage or damage resulting directly from misapplication, incorrect sizing, or lack of proper maintenance of the equipment.

CONDAIRE makes no warranty and assumes no liability whatsoever for damage to the products, humidifier, supply lines, drain lines, steam distribution systems, or the building as a whole caused by freezing.

CONDAIRE reserves the right to change the design, specifications, and performance criteria of its products without notice or obligation.

Extended Warranty

Extended warranties are available to purchase under the conditions listed above. Extended warranties must be purchased at the time of the original equipment order.



www.condairparts.com

Buy authentic Condair
parts factory direct.

Would you recommend Condair?
Take our two question survey.



U.S.A.
1021 6th Street
Racine, WI 53403

CANADA
2740 Fenton Road
Ottawa, Ontario K1T 3T7

TEL: 1.866.667.8321
EMAIL: na.info@condair.com
WEBSITE: www.condair.com

